

METERED INSECTICIDE AEROSOL I

Kills Flies, Mosquitoes and Gnats.

This time released aerosol is to be used only in commercial food service and preparation areas of milk houses, hospitals, factories, restaurants, hotels, motels, stores, ships, clubs and schools.

ACTIVE INGREDIENTS:

Pyrethrins	0.45%
*Piperonyl butoxide, technical	4.50%
Petroleum distillate	15.05%
INERT INGREDIENTS:	80.00%
	<u>100.00%</u>

*Equivalent to 3.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.90% related compounds.

This Product Contains Chlorofluorocarbon 11 and 12

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Net Weight 10.03 (280 grams)

Manufactured by:

Contact Industries
641 Dowd Ave.

Elizabeth, N.J. 07201

EPA Reg. No. 10806-1-53

10806-53

EPA Est. No.

10806-NJ-1

Rear Panel

(Int. Device)

PRECAUTIONARY STATEMENTS

Hazards to Humans
(and Domestic Animals)

CAUTION

Do not install directly over any food handling or dispensing area. Do not use in nurseries or rooms where infants, ill or aged persons, are confined. Remove all pets including particularly fish, birds and reptiles from rooms where these devices are operating.

< Physical or Chemical Hazards:

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry place.

Disposal: Do not use empty container. Wrap container and put in trash collection.

To Install: Place dispenser 12 feet or more from exposed food. Install at a distance of 7 feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day.

To Operate: Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 100 mg. of insecticide every 15 minutes. Its effectiveness will be noticeable one hour after activation.