EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

- 3. On the Data Matrix tables you must submit a brief description of the formulation process.
- 4. Storage stability for the concentrate cannot be referenced. Storage stability data must be on the end-use product (EP) or a substantially similar EP. These data must be submitted within 14 months from the date of this Notice.
 - 5. Viscosity can be expressed in centipoise or centistokes.
- 6. Add the subheading, "PHYSICAL OR CHEMICAL HAZARDS" above the flammability statement.
- 7. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

Front Panel

CONTACT FLEA & TICK KILLER III

ACTIVE INGREDIENTS:

Pyrethrins

Permethrin [*3-Phenoxypheny1) methyl (+) cis-trans-3-(2,2-

dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate/

Related reaction products

INERT INGREDIENTS:

0.056%

0.050%

0.004%

99.890%

100.000%

*cis-trans isomer ratio:

Min. 35% (+ or ~) cis

Max. 65% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Pressurized Spray Residually Kills Ticks and Fleas on Dogs and cats.

Net Weight 6 oz. net

Manufactured by:

CONTACT INDUSTRIES, INC.

Elizabeth, NJ 07201

EPA Reg. No. 10806-

MAR 2 1987

linder the Federal hamethide, Finglielde, and Rodenticlée Act. amended, for the perficide EPA Est. No.:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age.

Contents under pressure. Do not use or store near heat or open flame. Do not incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

This product will kill fleas up to 14 days and ticks up to 7 days on dogs and cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs:

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open flame.

Disposal: Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.