

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

PA 13 10806-65 P 193

~~3005453248~~
17/8

MAR - 3 1994

Mr. Edward Piranian
Contact Industries Div. Of
Safeguard Chemical Corporation
411 Wales Avenue
Bronx, New York 10454

Dear Mr. Piranian:

Subject: Amendment - Label
Contact Flea & Tick Killer III
EPA Registration No. 10806-65
Your Submission dated October 26, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. On the Back Panel under CAUTION revise the precautionary statements to read as follows:
.....Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not use on nursing puppies or kittens under 3 months of age. Do not use on sick old or debilitated pets. Do not spray plants used for food or feed.
2. Under "Physical and Chemical Hazards" delete the word "Flammable"
3. The Environmental Hazards Statement is not required for this product and may be deleted, unless you wish to voluntarily retain the statement.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (M7505C)

CONCURRENCE							
SYMBOL	Enclosure:						
SURNAME	Moats						
DATE	1/10/94						

233

) CONTACT)
FLEA & TICK KILLER III

For Dogs And Cats

Pressurized Spray Residually Kills Ticks and Fleas On Dogs and Cats.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.056%
Permethrin [*3-Phenoxyphenyl) methyl (+) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate].	0.050%
Related reaction products.....	0.004%

INERT INGREDIENTS.....	99.890%
-------------------------------	----------------

TOTAL.....	100.000%
-------------------	-----------------

*cis-trans isomer ratio: Min. 35% (+ or -) cis
Max. 65% (+ or -) trans

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a Physician or Poison Control Center immediately.
IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements.

Net Wt. 6 Oz. (168 Grams)

MANUFACTURED BY:
CONTACT INDUSTRIES DIV. OF
SAFEGUARD CHEMICAL CORP.
NEW YORK, NY 10454

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR - 3 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10806-65

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not spray in eyes, face or on genitalia. Avoid breathing vapor or spray mist. Do not use on nursing puppies or kittens under three months of age. *add.*

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams and ponds. Do not apply directly to water or to areas where surface water is present. Do not contaminate water by disposal.

PHYSICAL AND CHEMICAL HAZARDS

CAUTION: FLAMMABLE. CONTENTS UNDER PRESSURE. Do not use or store near heat or open flame. Do not puncture or incinerate. Exposure above temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hold Container Upright. Shake Well Before Using.

This product will kill fleas up to 14 days and ticks up to 7 days on dogs and cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Replace cap and wrap container in several layers of newspaper, discard in trash. Do not puncture or incinerate.