PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUS

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 5(e). Four release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

One Unit Treats up to 5,000 Cubic Feet

ACTIVE INGREDIENTS:

Pyrethrins -N-Octyl bicycloheptene dicarboximide,

Permethrin [*(3-Phenoxyphenyl)methyl (±) cis-trans-3-(2,2dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]

Related reaction products

INERT INGREDIENTS:

0.050% 0.400% 4

> 0.400% 0.035%

99.115% 100.000%

∸MGK® 264, Insecticide Synergist

*cis-trans isomer ration: Min. 35% (±) cis Max. 65% (\pm) trans

EVERCIDE® - Registered Trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center.

IF IN EYES: Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN Remove contaminated clothing. Wash skin with OR CLOTHING: soap and warm water. Get medical attention

if irritation persists.

IF INHALED: Remove victim to fresh air and call a

physician if effects occur.

Net Weight 6 Ounces

CONTACT INDUSTRIES Elizabeth, NJ 07201

EPA Reg. No. 10806-

ACCEPTED with COMMENTS in EPA Letter Dated:

OCT 3 1 1080

Update the Follow I has sticide, he will be skilled Act as amended, for the posticide registered under EPA Reg. No. 10806- 78

EPA Est. No.10806-N

4 of 4

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid inhalation of vapors and contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger.on.stand.or.table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 monutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with a registered tick and flea control product prior to ceehltry.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

<u>Disposal</u>: Replace cap and discard container in trash. Do not

incinerate or puncture.