



3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

SPECIMEN LABEL

Front Panel

CONTACT ROACH & ANT KILLER VIII

Kills Ants, Cockroaches, Spiders, and Other Listed Crawling Insects In and Around the Home.

Insect-Killing Power Lasts up to Two Weeks Indoors.

Spray Only on Surfaces. Do Not Use as a Space Spray.

This formulation gives rapid kill of crawling insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects one to two weeks indoors after the spray deposit has dried.

- |                 |            |  |
|-----------------|------------|--|
| Ants            | Earwigs    | Saw-toothed Grain Beetle (exposed stage) |
| Brown Dog Ticks | Fleas      | Scorpions                                |
| Clover Mites    | Millipedes | Silverfish                               |
| Crickets        | Sowbugs    | Spiders                                  |
|                 |            | Cockroaches                              |

ACTIVE INGREDIENTS:

- |  |          |
|--|----------|
| d-trans Allethrin (allyl homolog of Cinerin I) | 0.051%   |
| Related compounds                              | 0.003%   |
| *Piperonyl butoxide, technical                 | 0.100%   |
| -N-Octyl bicycloheptene dicarboximide          | 0.167%   |
| **2-(1-methylethoxy) phenyl methylcarbamate    | 0.500%   |
|  | 99.179%  |
|  | 100.000% |

ACCEPTED  
with COMMENTS  
to EPA Letter dated  
JAN 23 1999

INERT INGREDIENTS:

- Contains petroleum distillate
- \*Equivalent to 0.08% (butylcarbityl)(6-propylpiperonyl) ether and 0.02% related compounds.
- +MGK® 264, Insecticide Synergist.
- \*\*Propoxur from BAYGON® - U. S. Patent No. 3,111,539.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10806-90

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Consult a physician if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water.
- IF INHALED: Remove victim to fresh air and apply artificial respiration if needed.

Net Weight 12 oz.

Manufactured by:  
CONTACT INDUSTRIES  
Elizabeth, NJ 07201

BEST AVAILABLE COPY

Back Panel

Physical and Chemical Hazards

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION**

May be harmful if swallowed, inhaled or absorbed through the skin. If swallowed, do not induce vomiting because of aspiration pneumonia hazard. Do not breathe spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get prompt medical aid.

NOTE TO PHYSICIAN: Propoxur is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

**FLAMMABLE.** Contents under pressure. Keep away from heat, sparks, and open fire. Do not puncture or incinerate container. Exposure to temperatures above 130°F cause bursting.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**BEST AVAILABLE COPY**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General: Spray surfaces to wetting. Do not spray away from people, plants, and animals. Do not use as a space spray. Use only for spot treatment.

**Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings.**

**Indoor Use:** ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS; SAW-TOOTHED GRAIN BEETLES (exposed stage), WATERBUGS: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray food-stuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

**BROWN DOG TICKS:** Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. **DO NOT SPRAY ANIMALS.** Pets should be treated with a registered flea and tick product before reentering treated areas.

**Outdoor Use:** ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal