10806-92	2-28-90		
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	1	B 2 8 1980
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT  Contact Liquid Caypsy Moth & Jayanta Bootle Stray		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
Contact Lalustries PH Onwl Amenu ( Climabeth, NJ 17201	٦	160	25
L	٦	,	
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others. This product is conditionally	n, may at any time suspen me in connection with the exclusive use of the nam	d or cancel the registration of e or to its use	registration of a pest- a product under this if it has been covered
sention 3(d)(7)(A) provided that yo		)	
1. Submit/cits all data requiped your product under FIFRA section registrants of similar products to	3(c)(5) which the		
2 Maks the labeling changes	listed below ward	ту мой в .	as: the produc
for salphent:			
	gistration No. 10	308-92.°	
for salpuent:	•	335-92.*	

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

2/26/10

A presentative of the assist DPA Regional

Office for gardance.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

#### Front Panel

Contact Liquid Gypsy Moth & Japanese Beetle Spray

### FOR OUTDOOR USE ONLY

**ACTIVE INGREDIENTS:** 

Pyrethrins

\*Piperonyl butoxide, technical

INERT INGREDIENTS:

0.02%

0.20% 99.78%

100.00%

\*Equivalent to 0.16% (butylcarbity1)(6-propylpiperonyl) ether and 0.04% related compounds.

KEEP OUT OF REACH OF CHILDREN

# CAUTION

See Back Panel for Additional Precautionary Statements

Kills common insect pests on ornamental plants: Japanese Beetles, Gypsy Moth Larvae, Aphid, Spider Mite, Tent Caterpillar and others listed on back panel.

Net Contents One Gallon

Manufactured By:

CONTACT INDUSTRIES Elizabeth, NJ 07201

EPA Reg. No. 10806-

EPA Est. No. 10806-NJ-1

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 28 1990

Under the regeral insecticide, Fungicide, and Rodenticide Acta; amended, for the pesticide registered under EPA Reg. No.

10806-92

#### PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

# CAUTION

Harmful if swallowed. Avoid breathing fumes or spray mist. Avoid contact with skin, eyes and clothing. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention ir irritation persists.

Do not use this product on any edible crop.

### Environmental Hazards

This product is toxic to fish and other cold-blooded animals. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## Physical or Chemical Hazards

FLAMMABLE. Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

## FOR OUTDOOR USE ONLY

## To Kill Ornamental Plant Pests Listed Below:

Eastern Tent Caterpillar, Aphid, Cankerworm, Lacebug, Spider mite, Japanese beetle, Green Fruitworm, Gypsy Moth Caterpillar, and Mealybug.

Kills Listed Insects on Ornamental Cherry, Spirea, Rose, Ornamental Crabapple, Maple, Andromeda, Oak and Taxus.

General: When sprayed directly on insects, this spray will kill the insects listed. Caution should be taken when spraying new tender growth on young plants.

For best results, spray in the evening or on a cloudy day when air is still. Spray 12-18 inches from plant using a slow sweeping motion. Mist the plants lightly, including underside of foliage. For heavy growth, spray both sides of row. Repeat as needed. Do not spray when temperatures exceed 90°F. Stand upwind while spraying.

#### STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container in several layers of

newspaper and discard in trash.