

10807-2

2/5/1971

Page 122

Best Available Copy

# AERO INSECTICIDE MIST

### ACTIVE INGREDIENTS:

Pyrethrin	0.30%
Piperonyl Butoxide Chemical	.60%
N-octyl bicycloheptane dicarboximide	1.00%
Petroleum distillate	<u>13.10%</u>
	15.00%


### INERT INGREDIENTS:

50:50 ratio of diethyl and diisobutyl fluoromethane and methyl propyl fluoromethane	<u>85.00%</u>
	100.00%

Contains 10% of the active ingredients with tripropylphosphite and other inert compounds.

## CAUTION

KEEP OUT OF REACH OF CHILDREN



### DIRECTIONS FOR USE

To kill Houseflies, Mosquitoes, flying moths and Gnats, Accessible Flying Forms or Grain Infesting Insects (the Angoumois Grain Moth, Mediterranean Flour Moth, Indian Meal Moth), Accessible Flying Forms of Stored Product Pests (Tobacco Moth), and also crawling insects (Flour Beetle, Carpet Beetle, Drug Store Beetle, and Pea Weevil): Close all doors and windows. Determine the number of cubic feet of space to be treated. Point nozzle upward and direct the aerosol mist to all parts of the area to be treated. Fog particularly well in areas in which these insects are most likely to congregate or rest. Fog at the rate of 3 seconds per 1000 cubic feet of space.

Keep the treated area closed if possible for 15 minutes. Do not remain in treated areas and ventilate the area after treatment is completed. In industrial locations, do not spray closer than 36 inches away from fabrics or upholstery. Spraying closer than as directed above or excessive treatment may cause damage.

**IMPORTANT.** Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours.

### CAUTION

Contents under pressure. Do not puncture or dispose of container in fire. Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Do not spray on food. Remove caps and fish bows before spraying. Do not use or store near heat or open flame. Exposure to temperatures above 150 degrees Fahrenheit may cause bursting.

NET CONTENTS: 16 OUNCES

602

ACCEPTED

FEB 5 1971

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 107.0.1-2 SUBJECT  
TO ATTACHED COMMENTS.

202