


425-20 REUS60 75 9/29/86

JAN 2 2 1987

Widely

ANTI-CRAWL



RESIDUAL INSECTICIDE

with BAYGON® PROPOXUR

Kills Ants, Roaches, Spiders, and Certain Other Crawling Insects

EPA Est. No. 10107-QA-1 EPA Reg. No. 10507-4

CAUTION
KEEP OUT OF REACH OF CHILDREN. CONTENTS UNDER PRESSURE. See additional cautions on back panel.

NET WT. 17 OZ. (1 LB. 1 OZ.)

SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spray surfaces until wet. Point spray away from people, plants and pets.

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and pull in trash collection.

INDOOR USE: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAWTOOTHED GRAIN BEETLES (exposed stage), WATERBUGS: Put out all flames and pilot lights. Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floor. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USES: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOW BUGS and BROWN DOG TICKS: Spray treated areas thoroughly including outside surfaces of screens, window frames, foundations, patios, or other places where insects may enter. For ANTS, spray hills and runways. Repeat as necessary. Spray weeds and brushy non-crop areas around the home.

ACTIVE INGREDIENTS:

| | |
|---|---------|
| Pyrethrin | 0.050% |
| *Piperonyl butoxide technical | 0.100% |
| n-Octyl bicycloheptene dicarboximide | 0.166% |
| o-Isopropoxyphenyl methylcarbamate | 0.500% |
| Petroleum distillate | 37.500% |
| INERT INGREDIENTS: | 61.584% |
| *Equivalent to .08% (butylcarbitol) (4-propylpiperonyl) ether and .02% related compounds. | |

BAYGON is a reg. Trademark of the parent company of Farbwerke Bayer GmbH, Leverkusen.

PRECAUTIONARY STATEMENTS:
Hazard to Humans and Domestic Animals

CAUTION:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of spray mist and provide adequate ventilation of areas being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils, and food preparation areas. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical aid. **TO PHYSICIAN: ATROPINE SULFATE IS ANTI-DOTAL.**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

MANUFACTURED BY
AMREP, INC.
990 Industrial Park Drive
Marietta, Georgia 30062