# 

# FLYING INSECT KILLER

## To be Used In:

Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings. Hospitals and Food Handling Plants.

### **EPA** REG NO. 10807-12

### WARNING

Keep Out Of Reach Of Children. Contents under pressure. Do not puncture or throw container into fire or incinerator. Do not expose to temperature above 120° F. (see additional cuutions on back panel)

Net Weight 1 lb 2 ounces

**Remove protective cap.** Holding dispenser upright, point valve in desired direction and press dispenser button to spray.

Mosquitoes, Flies, Gnats: Close all doors and wine dows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

For crawling insects: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly "into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insect where possible.

Ants: Spray trails, nests and points of entry. Spray •on ants where possible. Repeat as necessary.

**CAUTION:** Use as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Avoid contamination of food and feedstuff. Cover or remove fishbowls. Remove all pets from area to be treated.

**Active Ingredients:** \*+ (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3 (2-methylpropenyl) cyclopropanecarboxylate . . . 0.250% Related compounds . . . . . . . . 0.034% Aromatic petroleum hydrocarbons . 0.332% Inert Ingredients: ି**80.01**0% **100.000%** 

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (±) trans. + U.S. Patent No. 3,465,007

and the second state of th

DEC 28 1971 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 10507-12-BUBJECT TO ATTACHED COMMENTS.

# Flying Insect Killer Directions

