1.72

6 OCT 1994

Susan Holland Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062

Dear Ms. Watson:

Subject:

Amendment to Registration

Misty Mizer Insecticide EPA Reg. No. 10807-27 Submission: August 4, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Add to the Hazards Statement "Metering device must be timed so that it does not dispense while food processing is underway. Foods should be removed or covered in such a way as to prevent contamination. All food processing surfaces should be covered during treatment or washed with an effective cleaning compound followed by a potable water rinse."

You may wish to change the name from Mizer Mizer Insecticide to Misty Mizer Insecticide.

Sincerely,

Marion J. Johnson, Jr.

Acting Product Manager 10

Insecticide & Rodenticide Branch

Registration Division (7505C)

242

MIZER MIZER INSECTICIDE

LIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: STORAGE: Store in a cool area away from heat or open flame. DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

FOR USE IN AUTOMATIC DISPENSERS: One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The dispenser activates the 54 mg, valve once every 15 minutes. After two hours of operation enough insecticide is suspended in the air to kill a substantial proportion of the flies, mosquitoes and gnats present. Usually the effectiveness will be noticeable within one hour after the dispenser is activated. If less than 24 hour control is required, the dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average need within adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. This 6½ oz. can of insect tiller contains approximately 3,400 "shots" sufficient to sustain operation or a total of 850 hours (35 days on around-the-clock basis) or 70 days on a 12-hour basis. When used on a 24-hour basis, it is suggested that the container be changed once a month (once every 2 months on a 12-hour basis).

AUTOMATIC DISPENSER: Concentrated Aerosol Insect Killer contains a highly effective insecticide formulation specifically designed for use in automatic dispensing units around food handling establishments, food processing establishments, rest rooms, dining rooms, restaurants, supermarkets, food warehouses, bottling plants, hospitals, nursing homes, day care centers, hotels, motels, schools, offices, factories, ships, kennels, barns, and egg and milk handling areas of dairies and chicken houses where flies, gnats, flying moths and mosquitoes are an annoyance.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts of forced ventilation may reduce or eliminate the insecticidal efficacy of these installations.

Do not use in public areas while customers are present. Do not use where people will be continuously exposed. Inform empk yees of the nature and purpose of material being automatically dispersed.

The active ingredients of this product are toxic to fish. Automatic dispensers should not be installed near fish tanks. Users may want to remove fish from treated rooms.

Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by potable water rinse after spraying.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED, DO NOT induce vomiting. Call a physician immediately. IF IN EYES, flush with plenty of water. If irritation persists, consult a physician. IF ON SKIN, wash with soap and water. If irritation persists, consult a physician. IF OVERCOME BY FUMES, remove victim to fresh air. Resuscitate if necessary. Get medical attention.

PHYSICAL AND CHEMICAL HAZARDS:

Contents under pressure. Do not puncture. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

10/92

EPA Reg. No. 10807-27 EPA EST. NO. 10807-GA-1

ACTIVE INGREDIENTS: Pyrethras	. 1.850%
Piperonyl Butosode Technical*	
N-octyl Bicycloheptene dicarbotomide:	
INERT INGREDIENTS:	88.300%
TATAL.	400.000

"Equivalent to 2.95% (butylcarbityl)(6-propylpiperonyl) ether and 0.74% related compounds

This product contains petroleum disbilates.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Information NET WT. 6.5 OZ.(184 grams)
(Equivalent to 9.74 Fluid Ounces)

ACCEPTED
With COMMENTS
In EPA Letter Dated

6 OCT 1994

MANUFACTURED 6Y: AMREP IIIC. 990 INDUSTRIAL PARK DRIVE MARIETTA; GA 3/1062

Heder the First ral Insecticide,

I state interest to the protection

I see protecti