heat or open flame. DISPOSAL: Do not reuse empty container. Wrap container

heat or open flame. DISPOSAL: Do not reuse empty container. Whap container and put in trash collection.

FOR USE IN AUTOMATIC DESPENSIONS: One dispensing unit should be installed for each 8,000 cubic lest of space to be treated. The dispenser activated the 54 mg, valve once every 15 minutes. After two hours of operation enough insecticide is suspended in the air to kill a substantial proportion of the files, mosquitoes and gnats present. Usually the effectiveness will be noticeable within one hour after the dispenser is activated. If less then 24 hour control is required, the dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity and more temperatures aft after isseed achiefe and control. Therefore, one with in mind that such factors as air flow rate, size of space treated, humidity and room temperatures all affect insect activity and control. Therefore, one with per 6,000 cubic lest should be considered as an average need within adjust-mosts made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. This 6% oz. can of issect idlier contains approximately 3,400 "shots" sufficient to sustain operation or a total of 850 hours (35 days or around-the-clock basis) or 70 days on a 15-hours basis. When used on a 24-hours basis is ensweeted that the container hour basis. When used on a 24-hour basis, it is suggested that the container be changed once a month (once every 2 months on a 12-hour basis).

AUTOMATIC DISPENSER: Concentrated Aerosol Insect Killer contains a highly

effective insecticide formulation specifically designed for use in automatic dispensing units around food handling establishments, food processing establishments, rest rooms, dining room, restaurants, supermarkets, food warehouses, bottling plants, hospitals, nursing homes, day care centers, hotels, motels, schools, offices, factories, ships, kennels, barns, and egg and milk handling areas of dairies and chicken houses where files, gnats, fiving moths and mosquitoes are an annoyance.

FOR EMERGENCY MEDICAL NFORMATION CHEINTEL, INC. 1-800-255-3924 MADE IN U.S.A. BY: AMREP, INC.

990 Industrial Park Drive • Marietta, GA 30062

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANNALS:

CAUTION: Do not use in nurseries or rooms where intants, III or aged persons are confined. Do not install directly over or within 12 feet of any food handling or dispensing area. Metering device must be timed not to dispense white food ocessing is underway. Foods must be removed or covered during treatment. All food processing surfaces must be convered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Do not install within 3 feet of air ducts. Do not use in public areas while customers or workers are present. Timers must be set to dispense only during non-business hours. Carefully follow directions for the dispenser until when installing the dispenser and replacing cans or conducting maintenance. when Installing the dispenser and replacing cans or conducting maintenance. Large drafts of forcad ventilation may reduce or eliminate the insecticidal efficacy of these installations. Do not use where people will be continuously exposed. Inform employees of the nature and purpose of material being automatically dispersed. The active ingredients of this product are tooks to fish. Automatic dispensers should not be installed near fish beins. Users may want to remove fish from treated rooms. Facilities and equipment in tederally inspected meet and poetry plants meet be weaked with an effective cleaning compound followed by putable water rines after syncyling.

STATEMENT OF PRACTICAL THEATMENT: IF SMALLOWER, DO NOT induce vomiting. Call a physician immediately. IF MI EYER, flush with plenty of water, if irritation persists; consult a physician. IF ON SCAIN, wash with soap and water.

irritation persists, consult a physician. IF ON SIOM, wash with soap and water. If irritation persists, consult a physician. IF OVERCOME BY FUMES, remove

victim to tresh air. Resuscitate if necessary. Get medical attention.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not puncture Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. 91/92p

EPA Reg. No. 10807-27 EPA Est. No. 10807-GA-1 (Equivalent to 9.8 Field Ounces)

460-12



ACTIVE INGREENENTS: Pyrethrins:	1.850%
Piperonyl Butoxide Technical*:	3.690%
N-octyl Bicycloheptene dicarboximide:	6.160%
INERT INGREDIENTS:	88.300%
TOTAL:	100.00%
*Equivalent to 2.95% (butylcarbityl)(6-pro and 0.74% related compounds. This produ- leum distillates.	epylpiperonyl)ether

## KEEP OUT OF REACH OF CHILDREN. CAUTION:

See side panel for additional precautionary information. NET WT.6.5 OZ. (184 GRAMS)

ACCEPTED APR 8 2002

Under the Feder, the well kide. Fungioles, and Bodenticido Act, ar amended, for the posileide registered under UPA Reg. No. 10807-27

