POWDER PUFF Residual Insecticide

Contains Drione 🔊

Controls Ants, Roaches, Silverfish, Bed Bugs and Fleas

> Fast Acting Spray Powder Residual to Roaches

ACTIVE INGREDIENTS:

| Pyrethrins 0.10% |
|--|
| *Piperonyl Butoxide, Technical |
| Silica Gei |
| Petroleum Distillate 4.90% |
| INERT INGREDIENTS: |
| 100.00% |
| *Equivalent to 0.8% (butylcarbityl) (6-propyl- |
| piperonyl) ether and 0.2% related compounds. |
| DRIONE - Registered trademark of Fairfield |
| American Corporation |
| · · · · · · · · · · · · · · · · · · · |

KEEP OUT OF REACH OF CHILDREN. CAUTION Harmful if swallowed. Avoid contact with eyes. See rear panel for additional precautions. NET WT. 17 OZ. (1 LB. 1 OZ.)

PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist Avoid contact with skin and eyes, in case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists On not apply directly to food, in commercial food handling facilities, cover or remove any

food and lood processing equipment during application. Do not apply while lood processing is underway. In the home, all food processing surfaces and utensils should be coverad during treatment, or thoroughly washed before use

Remove pets, birds and cover lish aquariums before spraying

PHYSICAL OR CHEMICAL HAZAROS

FLAMMABLEI Contents under pressure Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. STORAGE AND DISPOSAL

Storage: Store is a cool area away from heat or open flame

Bisponsi: Do not rouse empty container. Wrap container and partior trash collection SHAKE WELL REFORE AND A1 INTLIVALS DURING USI

SHAKE WELL BEFORE AND A1 INTLINALS DURING USI To operate: Remove cap. Hold can upright, aim valve from about 13 inches from area to be sprayed and depress button. Avoid heavy deposits on finished surfaces.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served. FOOD AREAS - MPPLCASTION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: luchudes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, chible oils, syrups) and serving areas (when load is exposed and facility is in operation).

To control ant, cockroaches and silverlish, apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction, between equipment and floors, openings teading to voids and hollow spaces in walls, equipment legs and bases and in conduits, motor housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position Care should be taken to avoid depositing the insecticitie onto exposed surfaces. APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER

THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED Serving Areas: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot freatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

Non-Food Areas: including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mojo closels and storage (after canning or bottling). Apply as a spol freatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallels and similar areas where insects hide or through which they may enter. Repeat treatment as a required. To control fless in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. It left undisturbed, a deposit of Drione* will continue to kill cockroaches for several weeks. Repeat application when effectiveness fliminishes. To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattressee should be treated, especially tufts, folds and enges

EPA REG. NO. 10807-33

EPA EST. NO. 10807-GA-1

Manufactured By: **AMREP, INC.** 990 INDUSTRIAL PARK DRIVE • MARIETTA. GA 30062 ACCEPTED

MAY 27 1982

BEST DOCUMENT AVAILABLE

10807-3-

(ນ

1080