

PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals
DANGER

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush eyes with plenty of water. Get medical attention. If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on skin: Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL or CHEMICAL HAZARDS
FLAMMABLE! Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.
Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage: Store in cool area away from heat or open flame. **Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE

To Operate: Remove cap. Hold can upright, aim valve from about 13 inches from area to be sprayed and depress button. Avoid heavy deposits on finished surfaces.

Food Handling Establishments: Places other than private residences in which prepared food is held, processed, prepared or served.

Food Areas- Application Limited to Crack and Crevice Treatment Only: Includes areas for receiving, storage, packing, washing, bottling, wrapping, boxing, preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

FAIRFIELD

POWDER PUFF
 Residual Insecticide

Contains Drione®

Controls Ants, Roaches, Silverfish, Bed Bugs & Fleas
 Fast Acting Spray Powder
 Residual to Roaches

Kills up to 7 months when left undisturbed
 For Use in Homes, Restaurants, Schools, Hospitals, Supermarkets, Institutions, Warehouses, Factories and Food Plants

ACTIVE INGREDIENTS:	
Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	1.00%
Silica Gel	4.00%
Petroleum Distillate	4.90%
INERT INGREDIENTS:	90.00%
	100.00%

*Equivalent to 0.8% (butylcarbityl)(5-propylpiperonyl) ether and 0.2% related compounds.
 Drione-Registered trademark of Fairfield American Corporation.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN. DANGER

Harmful if swallowed. Causes eye damage. See side panel for Statement of Practical Treatment and additional precautions.

NET WT. 17 OZ. (1 LB. 1 OZ.)

To control ants, cockroaches, silverfish, crickets, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, earwigs, water bugs and firebrats. Apply in small amounts directly into cracks and crevices using an injection or insertion tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and in conduits, motor housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces. Application of this product in the food areas of food handling establishments other than as a crack and crevice treatment are not permitted.

Serving Areas: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed). **Non-Food Areas:** Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control powder post beetles, treat infested wood using an injection tube. Apply small amounts directly into and around entrance holes. To control fleas in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. If left undisturbed, a deposit of Drione® will continue to kill cockroaches for several weeks. Repeat application when effectiveness diminishes. To control bedbugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

EPA EST. NO. 10807-GA-1
 EPA REG. NO. 10807-33

Manufactured By
 AMREP INC. 990 Industrial Park Drive
 Marietta, Georgia 30062

ACCEPTED
 AUG - 2 1982
 Under the Federal Insecticide, and Rodenticide Act, authorized for the purpose of registration under EPA Reg. No. 10807-33

10807-33

08/02/82

BEST DOCUMENT AVAILABLE

1/1