


MISTY

ROSE & FLORAL SPRAY RESIDUAL

A special blend of insecticides (both fast acting and residual) with a fungicide.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens, and for spot treatment of incipient insect infestations to prevent spreading in large gardens.



E.P.A. REG. NO. 10807-36

CAUTION

KEEP OUT OF REACH OF CHILDREN. See rear panel for additional precautions.

NET WEIGHT 1 LB. 2 OZS.

DIRECTIONS

FOR THE CONTROL OF GARDEN INSECTS For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles, aphids, exposed thrips and spider mites. Hold container at least 18" from foliage, spray lightly in one-second bursts spraying both top and underside of foliage. Properly treated foliage will be protected from the above garden insects for about one week.

This spray may be used on such plants as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English Ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snap dragons, stocks, Wandering Jew and zinnias.

As a fungicide, spray before infection occurs for the prevention of powdery mildew and black spot on roses. Spray at five to seven day intervals while danger of fungus infestation persists.

ACTIVE INGREDIENTS:

Pyrethrins	0.025%
Piperonyl Butoxide, Technical*	0.256%
Rotenone	0.128%
Other Cube Extractives	0.238%
Folpet N-(Trichloromethylthio) phthalimide	0.700%
Carbaryl I-naphthyl N-methylcarbamate	1.000%
Petroleum Distillate	0.051%

INERT INGREDIENTS: 97.602%

* Equivalent to 0.205% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.051% of related compounds.

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed or foodstuffs.

Do not spray closer than 18 inches from plants. Do not use near fishbowls or aquaria.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

Manufactured by
AERO MIST, INC.
990 Industrial Park Drive
Marietta, Georgia 30062

ACCEPTED

FEB 20 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR FILING IN THE REGISTER
E.P.A. REG. NO. 10807-36
NO ATTACHED COMMENTS