

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 23 1997

Amrep, Inc.  
990 Industrial Park Drive  
Marietta, GA. 30062

Attention: Susan Watson  
Regulatory Affairs


Subject: Misty Mizer Air Sanitizer Lime  
EPA Registration No. 10807-43  
Your Amendment Dated June 27, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to add the statement: "Directions For Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling" is acceptable. A stamped copy is enclosed for your records.

The Agency does not stamp labels under Notification, because you expressly requested a stamped label, your submission will be treated as an amendment.

If you have any questions concerning this letter, please contact Pam Hasty at (703) 308-7933.

Sincerely,



Marshall Swindell  
Acting Product Manager 33  
Regulatory Management Branch I  
Antimicrobial Division (7510W)

CONCURRENCES						
SYMBOL	7510W					
SURNAME	P. Hasty					
DATE	7/23/97					

tmoc-pendlepa-pend210ll.doc as of 06/28/97

**MIZER AIR SANITIZER - LIME**

This unit is especially designed for use in closed areas where the control of odors is important. It will aid in the control of odors such as body odor, stale smoke, and cooking odors. It should be used in restrooms, dining rooms, serving areas, halls, lounges, offices, locker rooms, schools, as well as most public or private areas where odor control is needed. One unit is recommended per 6000 cubic feet of space. Air movement and ventilation rate may vary somewhat.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Open the door of the cabinet and remove used can. If the machine has been previously used, with the valve opening pointed toward you, place the new can in the cabinet and snap in place. Step to one side, then turn control switch to "ON" position and push switch to test operation. The machine should operate one full cycle and dispense one shot of spray. Close the cabinet door. The unit contains 3400 controlled sprays for use in closed areas that will last for 30 days when used on a 24 hour basis, or 60 days if used 12 hours per day when set to dispense every 15 minutes.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**WARNING:** Avoid contact with skin or eyes. In case of contact, immediately flush eyes with plenty of water. Avoid inhalation of

spray mist. Do not use in nurseries or rooms where infants, ill or aged patients are confined. Food, food contact surfaces and utensils should be protected from exposure to the spray or rinsed with potable water before reuse.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY**  
EPA REG. NO. 10807-43 EPA EST. NO. 10807-GA-1  
(Contains 9.9 Fluid Ounces)

06/97p

**FOR EMERGENCY MEDICAL INFORMATION**  
CHEM-TEL, INC.  
1-800-255-3924

**MADE IN U.S.A. BY:**  
AMREP, INC.  
990 Industrial Park Drive  
Marietta, GA 30062



**210-12L**

**MISTY**

**Mizer**

- **Air Sanitizer - Lime**
- **Contains 3400 Metered Applications**

**ACTIVE INGREDIENTS:**

Triethylene Glycol .....	7.70%
Propylene Glycol .....	5.13%
n-Alkyl (50% C14, 40% C12, 10% C16) .....	0.17%
Dimethyl Benzyl Ammonium Chloride .....	87.00%
<b>INERT INGREDIENTS:</b> .....	<b>100.00%</b>
<b>TOTAL:</b> .....	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

See back panel for additional precautions.  
**NET WT. 7 OUNCES(198 grams)**

**210-12L**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
JUL 23 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

10807-43

292