10807-44

9-8-2003



STORAGE & DISPOSAL: STORAGE: Store in a cool area away from heat or open flame. CONTAINER DISPOSAL: Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

FOR USE IN AUTOMATIC DISPENSERS: One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The dispenser activates the 54 mg. valve once every 15 minutes. After two hours of operation enough insecticide is suspended in the air to kill a substantial population of the flies, mosquitoes and gnats present. Usually the effectiveness will be noticeable within one hour after the dispenser is activated. If less than 24 hour control is required, the dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average need within adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. This 6½ oz. can of insect killer contains approximately 3,400 "shots" sufficient to sustain operation or a total of 850 hours (35 days on around-the-clock basis) or 70 days on a 12-hour basis. When used on a 24-hour basis, it is suggested that the container be changed once a month (once every 2 months on a 12-hour basis).

AUTOMATIC DISPENSER: Concentrated Aerosol Insect Killer contains a highly effective insecticide formulation specifically designed for use in automatic dispensing units around food handling establishments, food processing establishments, rest rooms, dining rooms, restaurants, supermarkets, food warehouses, bottling plants, hospitals, nursing homes, day care centers, hotels, motels, schools, offices, factories, ships, kennels, barns, and egg and milk handling areas of dairies and chicken houses where flies, gnats, flying moths and mosquitoes are an annoyance.

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts of forced ventilation may reduce or eliminate the insecticidal efficacy of these installations. Do not use where people will be continuously exposed. Inform employees of the nature and purpose of material being automatically dispersed. The active ingredients of this product are toxic to fish. Automatic dispensers should not be installed near fish tanks. Users may want to remove fish from treated rooms. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by potable water rinse after spraying.

FIRST AID STATEMENTS: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Contains petroleum distillates – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

08/03p

EPA REG. NO. 10807-44 EPA EST. NO. 10807-GA-1 **A00467**

MADE IN U.S.A. for:
Amvac, Inc.
[illegible] Industrial Park Drive
Marietta, GA 30062

MOSTY
Mizer
Economy Insecticide

ACTIVE INGREDIENTS: Pyrethrins:	0.923%
Piperonyl Butoxide Technical*:	1.845%
N-octyl Bicycloheptene dicarboximide:	3.075%
INERT INGREDIENTS:	94.157%
TOTAL:	100.00%

*Equivalent to 1.476% (butylcarbityl)(6-propylpiperonyl) ether and 0.369% related compounds.
This product contains petroleum distillates. **A00467**

KEEP OUT OF REACH OF CHILDREN.
CAUTION: See Side Panel For Additional Precautionary Information.
NET WT.6.5 OZ. (184 GRAMS)

NOTE: Areas highlighted in blue are per PR Notice 2001-1 and 2001-6.
fiaeroolM407(08-03p).doc as of 08/18/03

ACCEPTED
SEP - 8 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10807-44

1/1