

0988
1400

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION
KEEP OUT OF REACH OF CHILDREN.
May be harmful if swallowed,
inhaled, or absorbed through the
skin. Avoid breathing of spray mist
and provide adequate ventilation of
area being treated. Contact with
skin, eyes, or clothing should also
be avoided. Wash thoroughly with
soap and warm water after handling.
If poisoning occurs, get prompt
medical aid. **TO PHYSICIAN:**
ATROPINE SULFATE IS AN ANTIDOTE.

FOR OUTDOOR USE ONLY
Do not use in edible-product areas of
food processing plants, restaurants
or other areas where food is
commercially prepared or proces-
sed. Do not use in serving areas
while food is exposed. Avoid
contamination of food utensils, food
preparation areas. This product is
toxic to fish and wildlife. Remove
pets from area before spraying.
Keep out of lakes, streams, or ponds.
Apply this product only as specified
on this label.

**PHYSICAL and CHEMICAL HAZ-
ARDS: FLAMMABLE.** Contents under
pressure. Do not puncture. Do not
use or store near heat or open flame.
Exposure to temperatures above
130°F may cause bursting. Never
throw container into fire or incin-
erator.

**STATEMENT OF
PRACTICAL TREATMENT**

IF IN EYES Flush with plenty of wa-
ter. Get medical atten-
tion if irritation persists.
IF ON SKIN Remove contaminated
OR CLOTHING clothing. Wash skin
with soap and warm wa-
ter. Get medical atten-
tion if irritation persists.
IF SWALLOWED Get medical attention
immediately.

WASP

**WASP
& HORNET
KILLER**



Jet Stream Up to 15 ft
Non-Conductive Up to
18,500 Volts

ACTIVE INGREDIENTS:

| | |
|--|--------|
| Pyrethrins | 10% |
| *Piperonyl butoxide, technical | 20% |
| N-octyl bicycloheptane dicarbamate | 33% |
| 2-(1-methylethoxy) phenol methylcarbamate | 50% |
| Petroleum distillate | 26.38% |
| INERT INGREDIENTS: | 72.40% |

*Equivalent to .10% (butylcarbityl) (6-propylpiper-
nyl) ether and .04% other related compounds.

**CAUTION: KEEP OUT OF REACH
OF CHILDREN CONTENTS UNDER
PRESSURE** See additional cautions on
back panel NET WT 18 OZ (1 LB 2 OZ)

Kills Wasps, Hornets and Yellow
Jackets. This spray is fast acting
when insects are hit directly. Allow
about 24 hours for those insects
which were not directly hit by spray
to leave the area. If insects should
return to the treated area, spray
again. This container delivers a
stream type spray, making it
possible for the operator to stay
back from the place sprayed. Good
for use around food processing
plants, restaurants, farms, utility
poles and houses.
This formulation utilizes pyrethrins,
piperonyl butoxide and a carbamate
type insecticide, a combination
particularly effective on this class of
insect.

DIRECTIONS FOR USE
It is a violation of Federal Law to use
this product in a manner
inconsistent with its labeling.
To operate remove protective cap
and depress button, being sure to
aim spray opening at the location to
be sprayed. Direct spray at insects
whenever possible, and under
eaves, into nests, cracks, holes or
crevices wherever insects are
noticed. Spray for about 10 seconds
or until surface is moist from
insecticide. To prevent entrance of
insects into the house spray around
points where outside plumbing
faucets enter the house and into any
cracks or crevices in foundation as
well as along sills and ledges.

**CAUTION: Do not use on plastic, sty-
rofoam, or auto paint.**
STORAGE AND DISPOSAL
STORAGE: Store in a cool area away
from heat or open flame.
DISPOSAL: Do not reuse empty
container. Wrap container and put in
trash collection.

EPA EST. NO. 10807-GA-1
EPA REG. NO. 10807-48
MANUFACTURED BY
AMREP INC.
990 Industrial Park Dr
Marietta, GA 30062

ACCEPTED
FEB 9 1982
EPA Reg. No. 10807-48

BEST AVAILABLE COPY

10807-48 PM12 1981