

5602-176

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use in homes, motels, food plants, canneries, bakeries, dairies, milking parlors, restaurants, cafeterias, diners, grocery stores, schools, hospitals, institutions, warehouses, kennels.

FLIES, MOSQUITOES, GNATS, WASPS, AND SMALL FLYING MOTHS: Ascertain the cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around window frames and other light sources which attract these insects. Keep nozzle in continuous motion at least 36 inches from fabrics. Apply for two seconds per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

OUT OF DOORS: For temporary protection from mosquitoes and flies, spray along ground and weeds and brambles around the area. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

SILVERFISH, ANTS, ROACHES, AND CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices, and trails, on door sills and window frames. For initial cleanup apply for 10 or 15 seconds per 100 square feet of floor space. Follow up with periodic applications as a space aerosol at 3 to 5 seconds per 1,000 cu. ft. of space. Close room for one hour. Do not remain in treated area, ventilate the area after treatment is completed. Repeat treatment as necessary. Do not spray directly on clothes, fabrics or other materials.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Do not remain in treated area, ventilate the area after treatment is completed. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

STORED PRODUCT INSECTS (accessible stages)

FLYING MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL (CHOCOLATE) MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around product containers where adult moths may be resting. Use a minimum treatment of six to eight seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Repeat treatment weekly or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.

CONFUSED FLOUR BEETLES, RICE WEEVILS AND GRANARY WEEVIL: Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended, leaving treated area tightly closed for at least 45 minutes. Do not remain in treated area, ventilate the area after treatment is completed. Repeat treatment as required.

STORAGE AND DISPOSAL

Storage: Store in original container and in a locked storage area.
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

Do not apply directly to food. After spraying in commercial food handling facilities, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. Do not apply while food processing is underway. After spraying, facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.



Seventy-three

INSECTICIDE

KILLS FLIES, MOSQUITOES, WASPS, GNATS, SMALL FLYING MOTHS, ANTS, ROACHES, SILVERFISH, CRICKETS, FLEAS

ACTIVE INGREDIENTS

Pyrethrins	1.07%
Piperonyl butoxide*, technical	2.14%
N-Octyl bicycloheptene dicarboximide	2.14%
Petroleum distillates	11.60%

INERT INGREDIENTS

83.05%
*Equivalent to 1.71% (butylcarbityl) (6-propylpiperonyl) ether and 43% of other related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Cautions

HUB STATES CORPORATION INDIANAPOLIS, INDIANA 46204

EPA Reg No 5602-176

EPA Est. 7056-TX-1

Ms. Theresa L. Simmons
Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062

DEAR Ms. Simmons:

Subject: Misty Dualcide
EPA Registration No. 10807-61

The Confidential Statement of Formula dated June 27, 1988 is accepted and has been placed in our files.

The labeling referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you submit revised labeling updating the ingredients statement per the Sumithrin Registration Standard.

A stamped copy of the label is enclosed for your records. Submit five (5) final printed labels.

Sincerely yours,

PHH
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51279:I:WP5.0:Mendelsohn:C.Disk:KENCO:10/10/90:DD:VO:EK:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							