

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

14

Harmful it swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Wash contaminated skin with soap and water. For eyes, flush with plenty of water. Get medical attention if irritation persists

Do not use in commercial food processing preparation storage or serving areas if the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use Avoid contamination of food and feed stuffs Remove pets birds and cover lish aquariums before spraying

## PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting

### **DIRECTIONS FOR USE General Classification**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

#### STORAGE AND DISPOSAL

STORAGE Store in a cool, dry area away from heat or open flame DISPOSAL. Do not rouse empty container. Wrap container and put in trash collection.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows Point valve opening away from face and eyes when releasing Useone unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch Then place fogger on stand or table in center of room with valve locked open placing several layers of newspaper or pad under fogger to prevent damage to wood surfaces or floors. Leave building at once and keep building closed for four hours before airing out Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary

To Kill Brown Dog Ticks: Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames wall cracks and local areas of loors. Repeat as necessary Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area Manufactured b

AERO MIST INC. 990 INDUSTRIAL PARK DRIVE • MARIETTA GEORGIA

Under a third Fung.cide, ent F deallade Act, on conservatio, i.e. the presidence IPA Reg Ho

06 JUL 1979

)

1

EPA Est No 10807 GA 1

TO PERMIT NET NEWHT 75 DUNCES

EPA Reg No 10807-63