

10807-66

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING

CONTAINS SODIUM HYPOCHLORITE. CAUSES EYE IRRITATION. Do not get in eyes. Flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use adequate ventilation. Avoid contact with food. Before using, food and packaging materials must be removed or covered. Treated food contact surfaces must be scrubbed with detergent and rinsed with potable water prior to reuse.

PHYSICAL OR CHEMICAL HAZARD

FLAMMABLE—Keep away from heat and open flame

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling.

SHAKE WELL BEFORE USING FOR DISINFECTING: Thoroughly clean the surface to be disinfected. Hold dispenser upright about 6 to 9 inches from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright, point the opening away from face. Spray into air towards the center of room for about 4 seconds.

FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.

IMPORTANT: Do not use on polished wood, furniture, or rayon fabric.

Acts instantly and remains effective for long periods on unpleasant odors from fecal matter, urine, burns, smoke, mildew and mold, decay, garlic, onions, food, putrefaction, stale air, perspiration, tobacco, sick rooms, musty closets, fish.

STORAGE AND DISPOSAL

Rinse empty container thoroughly with water and detergent and discard in regular trash collection.

USES

This powerful hospital disinfectant and deodorant acts quickly on germ laden surfaces, such as: refuse cans, toilet seats, telephones, wash basins, urinals, laundry chutes, door knobs, metal beds and springs, wheel chairs, linen carts, hampers, dressing carts, clean up carts, air ducts, light switches, office machinery, and other equipment, after the surface has been properly cleaned. Will reduce bacteria from environmental surfaces.

Non-selective odor suppressant for space odor conditioning and deodorizing surgical dressings. Molecular aerosol deodorant attacks malodor at the source. Does not cause anemia. Suppresses and eliminates odors by chemically neutralizing air producing materials.

Effective on odors from any source in hospitals, nursing homes, ambulances, from post colostomy, post ileostomy dressing and bags, and malignant diseases. Also effective on odors in the home, kitchens, bathrooms, industrial plant processes, food processing and packaging plants and food stores.


This product will control the following organisms: *Aspergillus niger*, *Tubercle bacillus*, *Mycobacterium smegmatis*, *Penicillium glaucum*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Salmonella schottmuelieri* (paratyphoid B), *Salmonella typhosa*, *Shigella paradysenteriae*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Trichophyton interdigitale*.

Completely inhibits growth of mildew (mold or fungi) on cloth.

Manufactured by

EPA REG. NO. 10807-66 EPA EST. NO. 10807-0A-1

amrep, inc. • 10000 W. 10th Ave. • Denver, CO 80202 • (303) 751-1111



Int. De.

ACTIVE
S
E
N
INEP

SEE

PRECAUTIONARY STATEMENTS

HAZARUS TO HUMANS AND DOMESTIC ANIMALS

WARNING

CAUTION: Do not get in eyes. Flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid inhalation. Avoid contact with food. Before using, food and packaging materials must be removed or covered with detergent and rinsed with potable water prior to reuse.

PHYSICAL OR CHEMICAL HAZARD

Heat and open flame

DIRECTIONS FOR USE

Use in a manner inconsistent with its labeling.
DISINFECTANT: Thoroughly clean the surface to be disinfected. Hold dispenser upright about 6 to 9 inches from surface to be disinfected. Spray into the opening away from face. Spray into air towards the center of room for about 4 seconds until surface is wet. Repeat application every week to maintain control of bacteria on culture or rayon fabrics. Removes unpleasant odors from fecal matter, urine, burns, smoke, mildew and mold decay, garbage, onions, foul rooms, musty closets, fish.

STORAGE AND DISPOSAL

Store in a cool, dry place. Do not mix with other detergents. Do not mix with bleach. Wash hands and detergent and discard in regular trash collection.

USES

Acts quickly on germ laden surfaces such as refuse cans, toilet seats, telephones, wash basins, urinals, wheel chairs, linen carts, hampers, dressing carts, clean-up carts, air ducts, light switches, office equipment, etc. Has been properly cleaned. Will reduce bacteria from environmental surfaces. Use for conditioning and deodorizing surgical dressings. Molecular aerosol deodorant attacks malodor at the source of the odors by chemically neutralizing odor producing material. Use in nursing homes, ambulances, from post colostomy, post ileostomy dressing and bags and malignant diseases, in rooms, industrial plant processes, food processing and packaging plants and food stores. Kills: *Aspergillus niger*, *Tubercle bacillus*, *Mycobacterium smegmatis*, *Penicillium glaucum*, *Pseudomonas schottmuelleri* (paratyphoid B), *Salmonella typhosa*, *Shigella paradyseuteriae*, *Staphylococcus aureus*, etc. Use on cloth.

EPA REG NO 10807-66 EPA EST NO 10807 GA

1000 West Park Drive • Marietta, GA 30062 • Phone 404/431-2000

WALMART

HOSPITAL III

Disinfectant & Deodorant
Inhibits Mold & Mildew Growth For 7 Days On Hard Surfaces and 28 Days On Fabric!!

TUBERCULICIDE, STAPHYLOCOCCAL BACTERICIDAL, FUNGICIDE, PSEUDOMONICIDAL

FORMULATION

ACTIVE INGREDIENTS	
Phenol	0.177%
Sym. Amine	0.045
Formaldehyde	67.000
WATER	
NET WEIGHT	32.703
NET CONTENTS	100.000

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

NET CONTENTS 32 FL. OZ. (1 QT.)