

REGISTERED
1981

WILLY

CONQUEST

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Flying Moths (Millers), Fruit Flies, Vinegar Flies, Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Fleas, Ticks, Ants, Crickets, Silverfish, Earwigs, Spiders, Grass Insects (Adults of confused flour beetles, Saw-toothed grain beetles, Shiny Spore beetles, Grain weevils, Angoumois grain weevil, Mediterranean flour moth, Indian meal moth, Grain beetle, Carpet beetle, Sawtooth, Contandus, Melopodes, Whiteflies and Bedbugs.

ACTIVE INGREDIENTS

* Permethrin [(5-(phenylmethyl)-3-furanyl) methyl] 2,2 dimethyl-3-(2-methyl 1-propenyl) cyclopropanecarboxylate	0.500%
Related compounds	0.068%
Aromatic petroleum hydrocarbons	0.662%
Petroleum distillate	98.750%
INERT INGREDIENTS	0.020%
	100.000%

* Cis/trans isomers ratio max. 30% (±) cis and min. 70% (±) trans
 U.S. Patent Nos. 3,465,007 and 3,542,928
 Panick's SBP-1382 - brand of permethrin insecticide
 Panick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS

EPA REG NO 10807-75 EPA EST NO 10807-6A-1

Manufactured By **AMREP, INC.**

990 Industrial Park Drive • Marietta, Ga. 30067

NET CONTENTS GALLON(S)

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Foods should be removed or during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. **FIRST AID:** In case of contact immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if you experience any symptoms. **ENVIRONMENTAL HAZARDS:** Do not spray on soil or plants. **PHYSICAL OR CHEMICAL HAZARDS:** Flammable upon flame before open spraying. This formulation is non-combustible. DO NOT MIX WITH OTHER PESTICIDES.

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide spray or other residue that cannot be used according to label instructions must be disposed of according to Federal and State regulations. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or disposal in a sanitary landfill, or by other means as directed by local authorities. Do not reuse for other purposes.

GENERAL CONSUMER FEDERAL STATE OR LOCAL BOARD OF HEALTHS FOR APPROVED AIR-WAIVE PROCEDURES: FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BARRACKS, STABLES. **IN HORSE STABLES:** NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

SPACE SPRAY: To kill flying insects (flies, gnats, mosquitoes, house flies, wasps, bees, etc.) Clear room or area to be treated. Shut off all air conditioning and fans. Apply directly to insects. Do not spray on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

CONTACT SPRAY: To kill cockroaches, fleas, waterbugs, crickets, silverfish, earwigs, carpet beetles, centipedes, millipedes, and other crawling insects. Apply to cracks and crevices in floors, baseboards, areas of pipes, behind cabinets and other harborage. Spray liberally on walls, ceilings, and other surfaces. Do not spray on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

TO KILL BEETLES: Apply to a spot treatment of cracks in 1/2" crevices, under baseboards, floorboards, and walls. First, thoroughly clean the area. Then apply directly to the insects. Do not spray on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

TO KILL GRASS INSECTS: Adults of confused flour beetles, saw-toothed grain beetles, shiny spore beetles, grain weevils, Angoumois grain weevil, Mediterranean flour moth, Indian meal moth, grain beetle, carpet beetle, sawtooth, contandus, melopodes, whiteflies and bedbugs. Apply to a spot treatment of cracks in 1/2" crevices, under baseboards, floorboards, and walls. First, thoroughly clean the area. Then apply directly to the insects. Do not spray on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

TO KILL WASPS: Apply to a spot treatment of cracks in 1/2" crevices, under baseboards, floorboards, and walls. First, thoroughly clean the area. Then apply directly to the insects. Do not spray on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

OUTDOORS: To control house flies, mosquitoes, and other flying insects. Apply as a contact spray to insects. Avoid spraying on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

INDOORS: To control house flies, mosquitoes, and other flying insects. Apply as a contact spray to insects. Avoid spraying on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

THE FINAL APPLICATIONS: For control of flies and mosquitoes. This formulation is to be used outdoors in any weather condition. Apply liberally to insects. Avoid spraying on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

THE FINAL APPLICATIONS: For control of flies and mosquitoes. This formulation is to be used outdoors in any weather condition. Apply liberally to insects. Avoid spraying on people, animals, or electrical and other powered equipment. Avoid breathing spray. Do not spray on food or other surfaces. Fill the room with a fine mist of spray at the rate of 2 fluid ounces per 1,000 cubic feet. Sweep up and destroy insects.

WARRANTY STATEMENT

AMREP, INC. warrants that the product is of good quality and that it will perform as described on the label. The warranty is void if the product is used in a manner not specified on the label. The user assumes all liability for any damage or injury resulting from the use of this product. The user also assumes all liability for any damage or injury resulting from the use of this product.

QUEST

CONTROLLING THE FOLLOWING FLYING
Insects: Mosquitoes, Gnats, Flying Moths,
Wasps, Hornets, Yellow Jackets,
Bees, Ants, Crickets, Silverfish, Earwigs,
Unhatched Flour Beetles, Saw-toothed Grass
Weevils, Angoumois Grain Moths,
Indian Meal Moths, Grain C. Beetles, Carpet
Beetles, Whiteflies and Booklice

(methyl-3-luranylmethyl)
(1-1-propenyl)

1 lb	0.500%
5 lb	0.062%
10 lb	0.062%
25 lb	98.750%
50 lb	0.020%
100 lb	100.000%

max 30% (±) cis and min. 70% (±) trans
and 3,542,928
of permethrin insecticide
Street West, Lyndhurst, N.J. 07071

KEEP OUT OF REACH OF CHILDREN
SEE INSTRUCTIONS FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA EST. NO. 10807-GA-1
AMREP, INC.
P.O. Box 1000, Marietta, Ga. 30062

1 GALLON(S)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Irritant if swallowed or absorbed through skin. Avoid contact with skin or eyes or clothing. Avoid breathing mist. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Remove pets and cover fish aquariums before spraying.

FIRST AID: In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do not spray on soil or plants.

PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame before space spraying. This formulation in combination DO NOT MIX WITH PESTICIDES OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures. A container of 30 gals. or more may be treated and offered for reconditioning.

GENERAL: Consult Federal, State or local disposal authorities for approved alternate procedures.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNING, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS:

IN HOSPITALS: PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BICYCLES AND SHIP CABIN HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES.

IN HORSE STABLES: NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

INDOORS

SPACE SPRAY: To kill flies, mosquitoes, gnats, flying moths (webbers), white flies, weevils, etc. Close doors or areas to be treated. Shut off air conditioner and vent-later system. Seal all open vents. Remove fish and pets. Apply as directed as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray, mist flow or upper corner of the room. Fill the room with a fine mist space spray at the rate of 3 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAY: To kill cockroaches, fleas, waterbugs, crickets, silverfish, earwigs, sawtoothed grass weevils, grain moths, carpet beetles, centipedes, millipedes. Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications in the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors around window frames, on trails and hills.

TO KILL BEETLES: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, wallboards and walls. First, thoroughly clean and air out the room and springs. Then spot treat only areas that may harbor beetles, concentrating on walls, floors and ceilings. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS AND TICKS: Spray directly on insects as well as floor around baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Use spray on the inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also treat dogs, cats and horses. Use a registered flea control product before they re-enter the treated area.

TO KILL GRASS INSECTS: Adults of weevils of floor beetles, saw-toothed grass weevils, silverfish, earwigs, grass weevils, Angoumois grain moth, Red-billed weevil, floor moth, Indian meal moth, grain weevil. Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and feed stuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding in homes. Dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests and covered with clean paper after allowing shelves to dry. Any containers that are contacted with spray should be washed before being reused, if necessary.

TO KILL WASPS, HORNETS, YELLOW JACKETS: Application should be done in late evening when insects are at rest. Spray liberally into nesting and breeding places containing as many insects as possible. Repeat as necessary.

OUTDOORS

To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray. Spray directly on insects. Avoid spraying soil or plants.

ANTS AND FLEAS: Same as directed for indoor use.

WASPS, HORNETS, YELLOW JACKETS: Same as directed for indoor use. An spray of most openings in bushes, under eaves, chimneys, cracks and crevices to deter them from nesting around nest openings. Contact as many insects as possible.

EARWIGS, SAW-TOOTH SPIDERS, CENTIPEDES AND MILLIPEDES: Apply as a contact spray as for indoor use.

To control roach flying and parking insects around premises, spray thoroughly around doors, window frames and screen areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on soil or plants.

THERMAL APPLICATIONS: For control of flies and mosquitoes. This formulation is in a wet emulsion in easy to use portable thermal application equipment. The emulsion spray particles burst within the normal 62-72 degree range.

THERMAL APPLICATIONS INDOORS: For the control of flies, mosquitoes and gnats in warehouses, restrooms and industrial installations. Remove or cover exposed food and feed handling surfaces. Remove pets and seal all ventilation systems, air ducts, air conditioning equipment and close all rooms or areas to be treated. Do not apply while food processing plant is in operation or in operation. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/2 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close all rooms for at least one full hour. Do not remain in treated areas. Ventilate the area after treatment.

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from flies, mosquitoes, and gnats on yards, patios, around swimming pools, picnic areas, camp sites, down-on, and horse stables, and other small area applications.

Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply emulsion at the rate of 3% gallons per acre. Fog only when there is no breeze or the wind velocity is less than 3 miles per hour. The ideal time is generally in dusk when the air is still and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for longer time. Apply fog while moving slowly from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied is made as to the effects of such use or the results to be obtained if not used in accordance with directions or established best practices. The buyer must assume all responsibility for shading injury or damage resulting from its misuse or such use in combination with other water etc.