

BM 10 10807-76

LABL 10081 475-16 REV 03 9602 1000001 Labels (tm) emnoc-penolepa-penid475 doc as of 03/09/96

FOG-IT

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in and around hotels, motels, homes, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk, cheese and ice cream plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Ventilate room for 2 hours prior to returning patients. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food. In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces and utensils should be covered or removed during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. Apply only when facility is not in operation.

TOTAL RELEASE DIRECTIONS: Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fan and air conditioner. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspapers or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To kill **TICKS** and **FLEAS:** Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with a registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control.

PRECAUTIONARY STATEMENTS; HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling. Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Remove contaminated clothing and wash clothing before reuse. If used in food processing or preparation areas, foods should be removed or covered during treatment. Food processing surfaces should be covered during treatment or thoroughly cleaned with an effective cleaner followed by a rinse with potable water before reuse. Do not treat white food processing in underway. Do not spray walls, composition like or plastics. Remove pets, birds, and cover fish aquariums before spraying. In the home, foods should be removed or covered during treatment, and all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.


PHYSICAL OR CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks, and open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE & DISPOSAL: **STORAGE:** Store in a cool dry place away from heat and open flame. **DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection

03/96p

EPA REG. NO. 10807-76 EPA EST. NO. 10807-GA-1
 REORDER ITEM NUMBER: 475-16
 (Equivalent to 9.81 Fluid Ounces)

FOR EMERGENCY MEDICAL INFORMATION:
 CHEM-TEL, INC. 1-800-255-3824
MADE IN U.S.A. BY: AMREP, INC.
 990 Industrial Park Drive • Marietta, GA 30062



- Used as a Total Release Fogger, this product will kill exposed stages of: **Houseflies, Mosquitoes, Fleas, Wasps, Small Flying Moths, Hornets, Crickets, Silverfish, Cockroaches and Ticks**
- One Unit treats up to 6,000 Cubic Feet or an Average Size Room

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, technical	1.00%
1N-octyl bicycloheptene dicarboximide	1.67%
INERT INGREDIENTS**	96.83%
TOTAL:	100.00%

*Equivalent to 80% (bifenthrin)(S-propylpiperonyl)ether and 20% related compounds. TMGX 254, Insecticide Synergist
 **CONTAINS PETROLEUM DISTILLATES

KEEP OUT OF REACH OF CHILDREN
CAUTION:
 See back panel for additional precautionary statements
NET WT. 7.5 OUNCES (213 grams)

ACCEPTED

APR 2 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act
 this product is registered for the pesticide
 use specified under
 Labeling No. 10807-76