

ACCEPTED
10807-85
JUN 16 1982

WILSON

Ant, Roach, & Spider RESIDUAL INSECTICIDE

This formulation gives rapid kill of crawling insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects many weeks after the spray deposit has dried.

- | | | |
|---------|------------|-----------------|
| Spiders | Crickets | Saw-Toothed |
| Sowbugs | Scorpions | Grain Beetles |
| Earwigs | Millipedes | (exposed stage) |
| Roaches | Silverfish | Brown Dog Ticks |
| Ants | Fleas | Clover Mites |

FOR APPLICATION BY TRAINED PERSONNEL ONLY

Kills Ants, Roaches, Spiders and Certain Other Listed Crawling Insects In and Around the Home, Schools, Theaters, Warehouses, Motels, Hotels and Other Industrial Establishments.

Insect Killing Power Lasts for 1 to 2 Weeks Indoors

ACTIVE INGREDIENTS

Pyrethrins	0.050%
*Piperonyl butoxide technical	0.100%
**N-Octyl bicycloheptene dicarboximide	0.166%
**2-[[1-methylethoxy]phenyl] methylcarbamate	1.000%
Petroleum distillate	83.575%
Inert ingredients	15.109%
	100.000%

*Equivalent to 0.06% (p-cyano-biphenyl-3-propyl) ether and 0.2% related compounds
**MGK 264 Insecticide Synergist
U.S. Patent No. 3,111,539

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

EPA Reg. No. 10807-85 EPA Est. No. 10807-GA-1/10807-TX-1

Manufactured By **AMREP, INC.**
990 Industrial Park Dr. • Marietta, GA 30062

D
10
11

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical attention. **Note to Physician:** Atropine sulfate is antidotal. Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Physical Hazards: Flammable. Keep away from heat and open flame.

Statement of Practical Treatment:

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.
IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF INHALED: Remove to fresh air if effects occur, and call a physician.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE and DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state and local procedures.
Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other approved state and local procedures.

GENERAL: In the Home and Non-Food Areas of Industrial Establishments. Spray surfaces to wetting. Point spray away from people, plants and pets. Avoid excessive wetting of plastic, rubber or asphalt surfaces, such as tile and floor coverings. Do not apply to rugs, carpets, wallpaper or similar materials that may be stained. Repeat as needed.

For Spot Treatment:

Indoor Use: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (exposed stage), WATER-BUGS: Spray into cracks, crevices around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or houseplants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals. Treat pets with a product registered for animal application to control the source of the tick infestation.

For Crack and Crevice- Apply as Follows:

ANTS, COCKROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES, and DERMESTIDS: Apply diluted spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, and BROWN DOG TICKS: Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

2