ACCEPTED

NG 2 7 1993

Under the Federal insecticide. Fungicide, and Rodenticide Act. es amended, for the pesticide registered under EFA Reg. No.

General Purpose FLYING INSECT KILLER, .3P

ACTIVE INGREDIENTS:

Pyrethrins C 30% *Péperonyl Butoxide technical. 1 50% INÈRT INGREDIENTS: *Equivalent to 1:20% (butyloarbityl) (6-propylpiperonyl) ether and 0.03% related compounds

CONTAINS PETROLEUM DISTILLATES

KEEP OUT OF REACH OF CHILDREN. **CAUTION:**

See side panel for additional precautionary statements. STATEMENT OF PRACTICAL TREATMENT

EYE CONTACT: Flush with water if persistent irritation occurs, get medical attention. SKIN CONTACT: Wash with soap and water. If persistent irritation occurs, get medical attention. INHALATION: Remove victim to feesh air. Provide oxygen if breathing is difficult. Get medical attention. INGESTRON. Do not induce vormiting it vomiting occurs, keep head below hips to prevent aspiration of liquid into lungs. Get medical attention.

NET CONTENTS 1 GALLON

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTION Harmfuld swalkowed Avoid brighting various of sprig mast vibear a pasticide respirator portly approvedby the mining Enforcement and Safety Administration and the National Institute for Columbial Substy Health, under the provisions of 30 CFR Part II Contains performent states. It swallowed do not induce vomiting. Get immediate middical atterfach' Avoid duried, with slun and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if entation persusts. Do not apply to food. Do not apply space spray while food processing is underway. Cover or remove all foor-tiprocessing suches of the control of the cont pets, birds, and cover fish aquaitims before spraying. PHYSICAL HAZARDS: Do not store near heat or open flame

STORAGE and DISPOSAL:

Storage: Do not expose product to heat, spark or open flame. Store container in a cool dry location. Do not expose product to heat, spark or open flame. Store container in a cool dry location. Do not expose product to temperature extremes. Store product in cronnal shipping container in a locked storage area. Keep container closed when not in use. Do not container water, food of feed by storage or disposal. Peeticide Disposal: Wastes resulting from the use of this product may be disposed of crusteer at an approved wasted sposal facelity. In the event of a spill or leak, containing toward absorbent and dispose of in accordance with state or local regulations. Weap protective clothing during clean up procedures. Container Disposal: Triple mase (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary familiar to by other procedures approved by state and local authorities.

General: This concentrate is designed for use undistited in mechanical sprayers such as the LECO Mini-ULV or Micro-Gen which gives particles of serosol size. Rican be disted with refined kerosenes, which meet Food Additive Regulation 12:1-1182 and applied in logging equipment such as the Microsol or Challenger machines that give larger than aerosol particle size. It can also be disted with the oil specified above and applies as a contact spray to full crawing insects shown lafter on this label.

Note: When used in hospitals, posents should be removed oner to treatment. Ventilate for two hours after treatment. Do not return nativities in room until

Note: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Use In Homes, Restaurents, Food Processing Plants and Other Industrial Areas:

Space Spray Unditured: To Kill Housellies, Mosquitoes, Grass and Small Flying Moths: Close room and shut off all air conditioning or ventilating equipment: Using a cold log generator apply at the rate of 5 curioes per 1,000 cubic feet of space. Direct output from aerosol generator upward toward corners of room and ceiling Leave room closed for 15 hour Ventilate room thoroughly before re-entry. Repeat as necessary. Space Spray. Diluted for Ordinary Mechanical Fogging Equipment: To Kill Flies, Mosquitoes, Small Flying Moths and Griets. Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Did the rate of 50 fl. oz. of dilute spray (4 gal.) per 25,000 cubic feet of space. Direct log upward toward upper corners of room and ceiling area. Leave room closed for 15 hour. Die not remain in treated areas. Ventice room thoroughly before re-entry. Contact Spray. Diluted for une with Sprayers that give large wetting particles: To Kill Cockrosches and accessable stages of Granary Insects (Granary Weevis, Rice Weevis, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meet Moth Larvee and Adults. Cadeles, Grain Mides and Sawtothed Grain Beetles. Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part concentrate plus 2 parts of oil and ma well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using 1 gallon of spray per 1,000 square feet of surface. Force spray into all cradis and crevices. Repeat applications as necessary.

For Use in Dairy and Beef Barns, Swine Housing, Poultry Houses and Horse Barns.

Space Spray - Undituted for use in Aerosol Generators: To Kill Fles. Mosquitoes, Grists, Small Flying Moths and Exposed Cockrosiches. Cover or remove exposed food feed, and watering troughs and close house as tightly as possible. Apply as a fine mist over the Investock in stanchions or holding pens or over the poultry in cages or pens. Use a logger or mist generator so spray is directed and applied above the animals and othered spray to center of the areas where animals are housed. Apply 2 ounces per 1,000 cubo feet so that spray mist is distributed uniformly throughout the entire area sprayed. Do not ventilate the area for at least 30 minutes after spray has been applied. If used in dairy barn, aerate the barntholoughly before mixing. Repeat daily, morning and afternoon, or as required. Keep sprayer unit reservoir and nozzie clean to ensure proper delivery of spray mist or fog. Space Spray - Dituted for Ordinary Mechanical Flogging Equipment. To Kill Fles Mosquitoes. Small Flying Moths, Grists Prepare for application as above. Ditute concentrate with refined kerosene at the rate of 1 part concentrate plus 2 parts of refined kerosene and mix wall. Apply at the rate of 50 ft. oz. diute spray (.4 gal.) per 25 000 cubic feet of space above animals. Direct fog upward toward corners of room and ceiling Leave room closed for 15 hour then ventilate area. 07/93

EPA Reg. No. 10807-86 EPA Est. No. 10807-GA-1/TX-1/CA-1 "Authorized by USDA for use in federally inspected meet and poultry plants."



- 990 Industrial Park Drive Marietta, Georgia 30062 945 East Pleasant Run Road Lancaster, Texas 75146
- 3500 West Carriage Drive Santa Ana, California 92704

BEST ATAMABLE CS."

