

AAAP

WipeTM

Ant, Roach & Spider Residual Insecticide

with Diazinon

For Spot & Crack & Crevice Treatment

*Kills Roaches, Ants, Silverfish, Waterbugs, Ticks,
Crickets, Spiders, Earwigs.*

For Use In Homes and Food and Non-Food Areas of Kennels,
Commercial Buildings: Warehouses, Theaters, Office
Buildings, Schools, Motels, Hotels, Restaurants and Food
Processing Facilities

ACTIVE INGREDIENTS:

Pyrethrins	0.052%
*Piperonyl butoxide technical	0.280%
Diazinon [O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	0.500%
Petroleum distillate	99.100%
INERT INGREDIENTS:	0.088%
Total 100.000%	

*Equivalent to .208% (butylcarbitol)(6-propylpiperonyl) ether and .082%
related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional
precautionary statements

Only for sale to, use, and storage by service persons.

EPA Reg. No. 10007-04 EPA Est. No. 10007-GA-1
10007-TX-1

Manufactured By

Amrep, Inc. • 990 Industrial Park Dr., Marietta, GA 30062

NET CONTENTS GALLON(S)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 6 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and warm water after handling and before eating or smoking. If poisoning occurs, get prompt medical aid.

Note to Physician: Diazinon is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is an antidote. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

Statement of Practical Treatment: IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** vomiting may cause aspiration pneumonia. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE and DISPOSAL: Precautions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under the Subtitle C of the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

General: Use as a spot or crack and crevice treatment to control cockroaches, waterbugs, silverfish ticks and other insects listed below. Apply this product as a coarse spray to localized areas where pests are found or may occur. Spray surfaces until wet. Repeat as needed.

For spot treatment: Roaches, ants, waterbugs, silverfish, sowbugs, springtails, spiders, firebrats, crickets, earwigs. Spray until wet surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas infested with insects. Spray window sills and door frames where ants enter. Repeat as necessary.

For spot treatment a coarse low pressure spray must be used. Application is limited to floor surfaces only and to 20 percent of the surface area. Any individual spot treatment shall not exceed 2 square feet.

Carpet Beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks and infested areas of shelving in closets. Repeat as necessary.

Brown Dog Ticks: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors and floor coverings. Repeat as necessary. Bedding should be replaced in animal quarters after treatment. Do not treat animals.

Flies, Mosquitoes, Wasps and Flying Moths—OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surface of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures or porches, in garages and other places where these insects alight or congregate.

Ants, Clover Mites—OUTDOORS: For treatment of localized infestations of insects, spray weeds and brushy non-crop areas. Repeat as necessary.

Chiggers and Brown Dog Ticks—OUTDOORS: For treatment of localized infestations of insects, spray weeds and brushy non-crop areas. Repeat as necessary.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS—APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENTS ONLY

Includes areas for receiving, storage, packing, canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

To Kill Ants, Roaches, Crickets, Silverfish, Sowbugs, Spiders, Earwigs, Brown Dog Ticks, Carpet Beetles and Dermestids: Apply spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN CRACK AND CREVICE AND SPOT TREATMENT ARE NOT PERMITTED.