

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 11 1993

Ms. Susan Watson  
Amrep, Incorporated  
990 Industrial Park Drive  
Marietta, GA 30062

Dear Ms. Watson:

Subject: Label Revision per Agency Letter  
Repro-Tox Space Spray Insecticide  
EPA Registration Number 10807-101  
Submission dated July 13, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the product label is enclosed for your records.

1. Expand the sentence within the **STATEMENT OF PRACTICAL TREATMENT** as follows: If ingested, do not induce vomiting due to aspiration pneumonia hazard.
2. The upper certified limit (column 14a) for the inert ingredient mineral spirits as provided on the Confidential Statement of Formula can not exceed 100% of the product formulation. Revise the certified limits to more accurately reflect the actual percentage of components in the product.

Sincerely,

Rita Kumar  
Acting Product Manager 10  
Insecticide-Rodenticide Branch  
Registration Division

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

293 /

**BEST AVAILABLE COPY**

FRONT PANEL R-415

**Windy**®

R-415

# REPCO-TOX

## Space Spray Insecticide

**ACTIVE INGREDIENTS:**

\*Flamethrin(5 Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate ..... 0.250% w/w  
**INERT INGREDIENTS:** ..... 99.750% ✓

**TOTAL:** ..... 100.000% ✓

\*Cis/trans isomers ratio: max. 30% (+/-) cis. and min. 70% (+/-) trans.

†U.S. Patent No. 3,485,007.

Contains Petroleum Distillates.

**KEEP OUT OF REACH OF CHILDREN.**

### CAUTION

**USE ONLY AS DIRECTED.**

See added cautions on side panel.

**STATEMENT OF PRACTICAL TREATMENT**

For skin contact, wash area with soap and water. For eyes, Flush with water for 15 minutes and contact a physician. If ingested, do not induce vomiting. Contact a physician at once.

*due to aspirational hazard*

EPA REG. NO. 10807-101 EPA EST. NO. 10807-GA-1/7X-1/CA-1 ✓

**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.**

"Authorized by USDA for use in federally inspected meat and poultry plants."

**NET CONTENTS 1 GALLON**

For Use in: **SCHOOLS, HOTELS, MOTELS, REST.**

**PRECAUTIONARY**

**CAUTION:** Harmful if swallowed or inhaled. Avoid reuse. Do not contaminate feed or foodstuffs. Feed or covered during treatment. All food processing surfaces washed with an effective cleaning compound following prior to treatment. Room should be ventilated for 24 hours. **Environmental Hazards:** This product is toxic to fish and aquatic life. **Physical or Chemical Hazards:** Do not use, pour, or spray near open flames.

It is a violation of Federal law to use this product in a confined space to deliver a fine mist.

**For HOUSEFLIES, MOSQUITOES and GNATS:** Close the room, especially windows and other light sources. Room closed for at least 15 minutes. Ventilate the room after insects are at rest. Spray liberally into hiding and breeding areas. Insects such as **ROACHES, EARWIGS, GRASSHOPPERS** as cracks, openings, around pipes and sinks and other points of entry. Spray on ants when possible. Repeat as necessary.

**Storage:** Do not expose product to heat, spark or open flame. Store product in original shipping container. Do not use food or feed by storage or disposal. Pesticide Disposal: Dispose of in approved waste disposal facility. In the event of a spill, contact local regulations. Wear protective clothing during cleaning, or reconditioning, or puncture and dispose of in a safe manner.

**HMS RATING:** Health-2; Flammability-2; Reactivity-0; P-2

MANUFACTURED BY



**ACCEPTED with COMMENTS in EPA Letter Dated**

**AUG 11 1993**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10807-101

**BEST AVAILABLE COPY**

393  
BACK PANEL R-415

**REPCO-TOX Space Spray Insecticide**

**For Use in: SCHOOLS, HOTELS, MOTELS, OFFICE BUILDINGS, HOSPITALS, NURSING HOMES, FOOD PLANTS, BAKERIES, RESTAURANTS, FACTORIES and WAREHOUSES.**

**PRECAUTIONARY STATEMENTS: Hazard to Human and Domestic Animals.**

**CAUTION:** Harmful if swallowed or inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin. Wash contaminated clothing before reuse. Do not contaminate feed or foodstuffs. **Food Processing Plants:** Use only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces, benches, shelving, etc. should be covered or removed during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after treatment. Do not return patients to room until after ventilation.

**Environmental Hazards:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated.

**Physical or Chemical Hazards:** Do not use, pour, spill or store near heat or open flame. Keep container closed.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For most effective results, use a good sprayer adjusted to deliver a fine mist.

**For HOUSEFLIES, MOSQUITOES and GNATS:** Close all doors and windows. Point spray nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is complete. **WASPS:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. **For Crawling Insects such as ROACHES, EARWIGS, GRAIN MITES, SOW BUGS, SPIDER and CENTIPEDES:** Spray thoroughly into hiding places such as cracks, openings, around pipes and sinks and storage areas. Spray directly on insects when possible. **ANTS:** Spray trails, nests and points of entry. Spray on ants when possible. Repeat as necessary.

**STORAGE and DISPOSAL:**

**Storage:** Do not expose product to heat, spark or open flame. Store container in a cool dry location. Do not expose product to temperature extremes. Store product in original shipping container in a locked storage area. Keep container closed when not in use. Do not contaminate water, food or feed by storage or disposal. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. In the event of a spill or leak, contain product with a dry absorbent and dispose of in accordance with state or local regulations. Wear protective clothing during clean up procedures. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

01/83

**HMS RATING:** Health-2; Flammability-2; Reactivity-0; Personal Protection-B.

MANUFACTURED BY  
 **amrep**  
INC.

• 990 Industrial Park Drive • Marietta, Georgia 30062  
• 945 East Pleasant Run Road • Lancaster, Texas 75146  
• 3500 West Carriage Drive • Santa Ana, California 92704