10807-101

3/28/2007

EPA Reg# 10807-101, EPA DRAFT: 07/06p

Page 1 of 2

MISTY® (Logo)

Repco-Tox **Space Spray** Insecticide

- Solvent Based
- Low Odor
- Non Residual

ACCEPTE Under the Pederal Insecticide Pungicide, and Rodenticide A as amond registered under EPA Reg. No.

ACTIVE INGREDIENT:

*Resmethrin:0.250% **OTHER INGREDIENTS:99.750% TOTAL:100.000%

*Cis/trans isomers ratio: max. 30% (+/-) cis. and min. 70% (+/-) trans.

**CONTAINS PETROLEUM DISTILLATES.

B00415

KEEP OUT OF REACH OF CHILDREN. **CAUTION:**

Use only as directed. See added cautions on side panel. **NET CONTENTS GALLON(S)** LITER(S)

Side Panel

REPCO-TOX SPACE SPRAY INSECTICIDE

For Use in: Schools, Hotels, Motels, Office Buildings, Hospital, Nursing Homes, Food Plants, Bakeries, Restaurants, Factories and Warehouses.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed or inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs.

FIRST AID STATEMENT: IF SWALLOWED: Immediately call a poison control center or doctor immediately for treatment advice. Do not induce vorniting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillates - vomiting may cause aspiriation pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by the cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame. Keep container closed.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For most effective results, use a good sprayer adjusted to deliver a fine mist. Food Processing Plants: Use only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces, benches, shelving, etc. should be covered or removed during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. In hospitals: Patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after treatment. Do not return patients to room until after ventilation. For HOUSEFLIES, MOSQUITOES and GNATS: Close all doors and windows. Point spray nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is complete. WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. For Crawling Insects such as ROACHES, EARWIGS, GRAIN MITES, SOW BUGS, SPIDER and CENTIPEDES: Spray thoroughly into hiding places such as cracks, openings, around pipes and sinks and storage areas. Spray directly on insects when possible. ANTS: Spray trails, nests and points of entry. Spray on ants when possible. Repeat as necessary.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. STORAGE: Do not expose product to heat, spark or open flame. Store container in a cool dry location. Do not expose product to temperature extremes. Store product in original shipping container in a locked storage area. Keep container closed when not in use.

EPA Reg# 10807-101, EPA DRAFT: 07/06p

Page 2 of 2

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. In the event of a spill or leak, contain product with a dry absorbent and dispose of in accordance with state or local regulations. Wear protective clothing during clean up procedures. CONTAINER DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

07/06pending

HMIS RATING: Health-2; Flammability-2; Reactivity-0; Personal Protection-B.

FOR EMERGENCY MEDICAL INFORMATION: CHEM*TEL, INC. 1-800-255-3924 MADE IN U.S.A. BY
Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062
770.422.2071 * 800.241,7766

B00-715