

Ant, Roach & Spider Residual Insecticide

with Dursban[®]

A Combination of Insecticides offering Quick
Knockdown and Residual Kill of Cockroaches for up to 4 Weeks
For Residual and Contact Control of Cockroaches, Crickets, Silverfish, Clover
Mites, Centipedes, Millipedes, Firebrats, Earwigs, Sowbugs, Spiders, Brown Dog
Ticks, Lone Star Ticks, Ants, Carpet Beetles, Fleas

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclo propanecarboxylate	0.05%
*Chlorpyrifos[0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate	0.50%
INERT INGREDIENTS:	99.45%
	100%

*Cis/trans isomer ratio: max. 30% (-ror-) Cis and min. 70% (-ror-) trans.
U.S. Patent No. 3,485,007 3,542,928 and 3,683,078.
*Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071
*U.S. Patent No. 3,244,566 Dursban is a Trademark of Dow Chemical Co.

PRECAUCION AL USUARIO Si usted no lee ingles, no use esta product hasta que la etiqueta le haya sido explicada
ampliamente

TRANSLATION (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained
to you.)

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautionary statements.

Only for sale to, use, and storage by service persons
Can be used in non-food areas of food handling establishments.

-SHAKE WELL BEFORE USING-

EPA Reg. No. 10007-110 EPA Est. No. 10007-Q/-1/QA-2/TK-1

MANUFACTURED BY

Amrep

890 Industrial Park Dr. • Marietta, GA 30062
83 Industrial Dr. • Centerville, GA 30130
845 E. Pleasant Run Rd. • Lancaster, TX 75135

NET CONTENTS GALLON

ACCEPTED

OCT 28 1987

Under Insecticide,
Fungicide, and Pesticide Act,
as amended, and Pesticide
Registration Act,
EPA Reg. No. 10807-116

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate food or feedstuffs with this spray. Do not allow spray to contact food, feedstuffs, or supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not use this product in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Get immediate medical attention. **IF IN EYES OR ON SKIN:** Flush with plenty of water. **FOR EYES:** Get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote. **Environmental Hazards:** This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Do not store at temperatures below 32° F. **PESTICIDE DISPOSAL:** Pesticide spray mixture or rinse water that cannot be used, according to label instructions must be disposed of according to Federal, State or Local procedures. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved State and local procedures.

For use in non-food areas indoors and outside premises of hotels, motels, homes, preschools, apartment buildings, commercial, office, institutional and storage buildings, recreational buildings, boats, ship cabins and hospitals.

In Hospitals: Remove patients prior to treatment. Ventilate rooms for two hours before returning patients.

This product can be used in non-food areas only, such as corridors, offices, foyers, lobbies, garages, utility rooms, storage rooms, and basements of packaging and processing plants, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bathing plants, canneries, flour and feed mills and bakeries.

Also for use in and around campers, mobile homes, buses and automobiles. This product can be used in cargo planes, trucks, boxcars and ship cargo holds only if the vehicles are not used for transport of food or food products at any time.

Also for use in dog kennels and horse stables. Do not spray on horses and dogs. Do not spray dog and horse food or feed items.

Note to pest control operators: One gallon of spray is sufficient to treat 1500 linear feet with a 6 inch spray. For contact and residual sprays use product without diluting. For repeat applications, dilute with equal parts of water. **Contact Spray:** Kills and reduces infestations: Cockroaches, Crickets, Silverfish, Carpet beetles, Clover Mites, Centipedes, Millipedes, Firebrats, Earwigs, Sowbugs, Ants, Spiders, Fleas. Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

Ants: To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

Fleas, Brown Dog and Lone Star Ticks: Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, where these pests may be present. Old bedding or nests should be removed and replaced with clean, fresh bedding after treatment of pet areas. Do not treat pets with this product. Treat pets with a product registered for animal application to control the source of flea and tick infestation.

Carpet Beetles: Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these insects are seen or suspected.

ATTENTION: (Pests Indoors) Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas, use only oil base sprays. Prior to application, de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

RESIDUAL SPRAY: Aids in the control of Cockroaches, Crickets, Silverfish, Centipedes, Millipedes, Earwigs, Sowbugs. Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door window frames, and other hiding places such as closets, under and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places in cracks and crevices, lower walls and dark places. Apply as a wet spray in a 6 inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

PEST OUT-OF-DOORS: GENERAL INFORMATION: Use product for control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs by application as a residual spray or with a paint brush to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flower plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

Note: To help prevent infestation of buildings by ants, crickets, and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 2.7 ounces of product per gallon of water and apply as a coarse spray at the rate of about 1 gallon per 100 sq. ft. to thoroughly and uniformly wet the band.

WARRANTY STATEMENT: The recommendations for use of this product are based upon test believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied, is made as to the effects as such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse or such as in combination with other materials.