


PM 19 10807-119

1072
DPA
DPA



Manufactured By:
AMREP, INC.
• 990 Industrial Park Drive •
Marietta, GA 30062

ACCEPTED
MAY 16 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10807-119

MISTY®

Resmethrin/Dursban®* Transparent Emulsion Concentrate*

A combination of insecticides offering quick knockdown and residual kill of cockroaches for up to 4 weeks. For residual and contact control of cockroaches, crickets, box elder bugs, pillbugs, silverfish, clover mites, centipedes, millipedes, firebrats, earwigs, waterbugs, scorpions, cockroaches, spiders, brown dog ticks, lone star ticks, ants, spider beetles, houseflies, carpet beetles, fleas, mosquitoes, gnats, flying moths.

ACTIVE INGREDIENTS:

*† Resmethrin[5-(phenylmethyl)-3-furanyl] methyl-2,2-dimethyl 3-(2-methyl-1-propenyl) cyclopropanecarboxylate	1.80% w/w
* Chlorpyrifos[0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	16.00%
INERT INGREDIENTS: (Contains Methanol)	82.40%
TOTAL:	100.00% w/w

CONTAINS PETROLEUM DISTILLATES
*Cis/trans isomers ratio: max 30% (+) or (-) cis and min 70% (+) or (-) trans †U.S. Patent Nos. 3,465,007 and 3,542,926
*Penick's SBP-1382 brand of resmethrin insecticide Penick Corp. 1050 Wall Street West, Lyndhurst, NJ 07071
*U.S. Patent No. 3,244,586 Dursban® is a Trademark of Dow Chemical Co. †U.S. Patent No. 3,683,078

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
TRANSLATION (TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.

KEEP OUT OF THE REACH OF CHILDREN

DANGER ☠ POISON


DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Avoid breathing spray mist or vapors. Avoid contact with skin. See side panel for additional precautionary statements.

Can be used in non-food areas of food handling establishments. **SHAKE WELL BEFORE USING**
To be applied only by or under the supervision of pest control operators or other trained personnel responsible for insect control programs.

NET CONTENTS GALLON(S)

BEST AVAILABLE COPY

2012



PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

DANGER: Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes on skin or clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow spray to contact food or feed stuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls before spraying. Do not use product in edible areas of food processing plants, restaurants, or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES OR NO SKIN: Flush with plenty of water. For eyes, get medical attention. **IF SWALLOWED:** Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only injection is an antidote. Aspiration hazard may exist with this product.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL and CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat or open flame. Flash point minimum 80°F. **ATTENTION (Pests Indoors):** Do not apply this water-based product in conduits, motor housing, junctions and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only oil-base sprays. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Storage:** Do not store at temperatures below 40°F. If exposed to temperatures below 40°F warm to above 40°F and thoroughly mix before using. **Pesticide Disposal:** Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures under Subtitle C of the Resource Conservation and Recovery Act. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State or local procedures.

For use in non-food area indoors of hotels, motels, homes, preschools, apartment buildings, commercial office, institutional and storage building, recreational buildings, boats, ship cabins, and hospitals. In hospitals remove patients prior to treatment. Ventilate rooms for two hours before returning patients. This product can be used in non-food areas only, such as corridors, offices, foyers, lavatories, garages, utility rooms, storage rooms and basements, of packaging and processing plants, milk handling areas, markets, restaurants, bottling plants, canneries, flour and feed mills, and bakeries. Also for use in and around campers, mobile homes, buses and automobiles. This product can be used in cargo planes, trucks, boxcars and ship cargo holds only if the vehicles are not used for transport of food or food products at any time. Also for use in dog kennels and horse stables. Do not spray on horses and dogs. Do not spray dog and horse food or feed items.

Note to Pest Control Operators: Mix this concentrate with water as shown in the Spray Dilution Chart. Use an 0.05 - 0.50 spray to quickly reduce heavy infestations and an 0.025 - 0.25 spray to control light infestations and for maintenance purposes.

SPRAY DILUTION CHART

Gallons of Spray Mixture Desired	0.025-0.25	Fluid Ounces** of Concentrate Needed	0.05-0.50
1	2	4	
3	6	12	
6	10	20	
10	20	40	

*Note: Do not store the concentrate at temperatures below 40°F if the concentrate is exposed to temperatures below 40°F warm to above 40°F and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F. Shake well before using.
**Note: 1 fluid ounce = 2 tablespoons = 6 teaspoons

Contact Spray to kill and reduce infestations of Cockroaches, Crickets, Box Elder Bugs, Pillbugs, Scorpions, Spider Beetles, Waterbugs, Silverfish, Carpet Beetles, Clover Mites, Centipedes,

Millipedes, Firebrats, Earwigs, Sowbugs, Ants, Spiders, Fleas: Use as a spot treatment. When possible spray directly on pests to reduce infestations. Apply as a coarse spray or with a paintbrush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is wet but not to the point of run-off. Repeat as necessary. **Ants:** To kill ants spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary. **Fleas, Brown Dog and Lone Star Ticks:** Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Do not treat pets with this product. Treat pets with a product registered for animal application to control the source of flea and tick infestation. **Carpet Beetles and Clothes Moths:** Spray edges of carpeting and under carpeting, rugs and in closets. Make localized applications to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary. **RESIDUAL SPRAY:** Aids in the control of Cockroaches, Crickets, Box Elder Bugs, Pillbugs, Scorpions, Spider Beetles, Silverfish, Centipedes, Millipedes, Earwigs, Sowbugs; Kills up to 4 weeks. Apply on baseboards, cracks and crevices around door and window frames and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms, in basements, apply in hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6 inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary. **PESTS OUT-OF-DOORS: General Information:** Use this concentrate according to the Spray Dilution Chart for control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed. **Pests on outside surfaces of buildings:** Use this concentrate to control ants, clover mites, crickets, earwigs, millipedes and sowbugs by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness. **Houseflies, Mosquitoes, Gnats, Flying Moths Outdoors:** For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary. **Ants, Brown Dog Ticks, Crickets, Fleas, and Earwigs Outdoors:** For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur. **NOTE:** To help prevent infestations of buildings by ants, crickets, earwigs and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Use 25 ounces of this concentrate per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons per 1000 sq. ft. to thoroughly and uniformly wet the band.

BEST AVAILABLE COPY