

Misty Gypsy Moth Spray Concentrate

EPA Reg. No. 10807- EPA Est. No. 10807-GA-1
10807-TX-1

DIRECTIONS FOR USE

- Contains Natural Pyrethrum
- Kills Gypsy Moth Caterpillars and Japanese Beetles
- Dilute With Water for Use on Ornamental Plants and Shade Trees
- Controls Listed Crawling and Flying Insects on Porches and Patios, In and Around Garages and Around the Yard
- Quick-Acting - Leaves No Harmful Residues

ACTIVE INGREDIENTS:

Pyrethrin	3.0%
Piperonyl Butoxide	38.8%
Petroleum Distillate	12.8%
INERT INGREDIENTS:	55.0%
100.0%	

Equivalent to 2% (butylcarbityl) (6-propylpiperonyl) ether and to 2% related compounds.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control listed insects combine 1.0 fluid ounce of concentrate per 1 gallon of water. Apply to insure thorough coverage of upper and lower surfaces.

ACCEPTED
With CORRECTIONS
to 10807-128 dated
10807-128
OCT 1 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act
no person shall knowingly or recklessly
use this pesticide in a manner inconsistent
with its labeling.

ORNAMENTALS, TREES, SHRUBS AND ROSES

To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact:

- On Trees and Shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.
- On Roses and in Flower Gardens:** Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

YARDS, PORCHES, PATIOS AND GARAGES

- Spray the surface areas and hit the insects whenever possible.
- Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat if necessary.
- Wasps & Hornets:** Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat if necessary.
- Spiders:** Spray directly on spiders and web. Repeat if necessary.

To kill cockroaches, palmetto bugs, earwigs, gnats, centipedes, millipedes, crickets, silverfish and chironomids spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, toilets, storage areas, and sheds. Spray directly on insects where possible. Repeat treatment if necessary.

To kill mosquitoes, gnats (midges), house flies, biting flies and small flying moths (killers), apply spray to shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

Keep Out Of Reach Of Children

CAUTION

See side panel for additional precautions.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

Manufactured by AMREP, INC.
2000 Peachtree Dunwoody Rd. N.W. Atlanta, GA 30328

NET CONTENTS 32 FL. OZ. (1 QT.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

For control listed insects combine 1.0 fluid ounce of concentrate per 1 gallon of water. Apply to insure thorough coverage of upper and lower surfaces.

ACCEPTED
with COMMENTS
by EPA Letter Dated:

10807-128
OCT 1 - 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended and the pesticide registration provisions of the Act.

ORNAMENTALS - TREES, SHRUBS AND ROSES

Using a cold fog generator apply as a fine mist, spraying plants on the upper and lower leaf surfaces.

INSECTS CONTROLLED: Aphids (red, black and green peach), bagworms, thrips, flea beetles, Japanese beetles, lace bugs, leaf miners, leaf rollers, leafhoppers, sawfly larvae, plant bugs and whiteflies. Repeat treatment weekly, or as needed to control infestations.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact:

On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

YARDS, PORCHES, PATIOS AND GARAGES

Spray the surface areas and hit the insects whenever possible.

Ants: Spray trails, nests and points of entry. Spray on shaft where possible. Repeat if necessary.

Wasps & Hornets: Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat if necessary.

Spiders: Spray directly on spiders and web. Repeat if necessary.

To kill cockroaches, palmeria bugs, earwigs, scorpions, centipedes, millipedes, crickets, silverfish and silverfish spray thoroughly into hiding places such as cracks, crevices, joint areas, openings around pipes, spouts, storage areas, and sheds. Spray directly on insects where possible. Repeat treatment if necessary.

To kill mosquitoes, gnats (midges), house flies, biting flies, and small flying insects (gnats), apply spray to shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

DISPOSAL

Do not reuse empty container. Wrap and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. If swallowed, induce vomiting by touching finger to back of throat. Contact a physician or Poison Control Center immediately. Remove pets from areas being treated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

CHEMICAL HAZARDS
Flammable. Do not use or store near heat or open flame.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (771-567) WASHINGTON, D.C. 20560	EPA REGISTRATION NO. 10807-128	DATE OF ISSUANCE OCT 10 1982
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> RENEWAL <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT PIPERONIL BUTOXIDE	
NAME AND ADDRESS OF REGISTRANT (include ZIP code) MHEP, Inc. 990 Industrial Park Drive Marietta, GA 30062		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment. <ol style="list-style-type: none"> a. Add the phrase "EPA registration No. 10807-128." b. Refer to the enclosed "Pesticide & Container Disposal Sheet" for the appropriate wording. c. Note the proper declaration of "Piperonil butoxide, technical." d. You must confirm that the subject product is a repackaging of pyrethrin 30-35 S.L. concentrate (4816-530). 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling. 		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

EPA Form 8370-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

BEST DOCUMENT AVAILABLE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Franklin D. R. Gee
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (28-767)