

41 E 1077 FD  
 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 17 1995

Amrep, Inc.  
 990 Industrial Drive  
 Marietta, GA 30062

Attention: Ian Gecker  
 Vice President, Technical

Subject: Misty Liquid Disinfectant  
 EPA Registration No. 10807-130  
 MOU Compliance Amendment dated November 11, 1994


The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipping bearing the amended label.

1. Under the heading "Disinfection in Hospitals, Restaurants, Home and Public Rooms:", revise the statement, "For disinfecting contagious disease areas, use 1/2 ounces..." to read, "For disinfecting contagious disease areas, use 1 1/2 ounces..."
2. Under the heading "Statement for Practical Treatment" revise the statement, "IF swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or if these are not available, drink a large quantity of water." to read, "If swallowed drink promptly a large quantity of water."

A stamped copy of the labeling is enclosed for your records. Submit 5 copies of the final label prior to releasing the product for marketing.

If you have any question concerning this letter, please contact Wanda Mitchell at (703) 305-6141.

Sincerely yours,




Walter C. Francis  
 Acting Product Manager (31)  
 Antimicrobial Program Branch

CONCURRENT Registration Division (7505C)

SYMBOL								
SURNAME								
DATE								

20/10



• Disinfectant • Sanitizer • Deodorant

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO3 when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - "Official Method". This detergent is effective at 1 oz./gal. against Pseudomonas aeruginosa PDR-10, Salmonella choleraesuis ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces. This disinfectant is an effective virucide against influenza virus Type A Brazil at 1 oz./gal. on pre-cleaned non-porous, hard surface.

ACTIVE INGREDIENTS:	
Alkyl (C14 50% C12 40% C16 10%) dimethyl benzyl ammonium chloride	10.00%
INERT INGREDIENTS:	90.00%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN.

**DANGER**

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See additional precautions on side panel.  
NET CONTENTS 1 GALLON (3.8 LITERS)

**BEST AVAILABLE COPY**

**R255**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 7 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

10807-130

LIQUID DISINFECTANT

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS

**DANGER:** Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Harmful if inhaled.

**ENVIRONMENTAL HAZARDS:** The product is toxic to fish. Do not discharge into lakes, streams, rivers, or other bodies of water. Do not contaminate water by cleaning of equipment or disposing of wastes.

**STORAGE AND DISPOSAL:** STORAGE: Do not expose to temperature extremes.

Keep container closed when not in use. Do not contaminate water, food or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If the container is damaged, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative in your area. **DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in accordance with local, state and local authorities.

DIRECTIONS FOR USE

**General Use Disinfection.** It is a violation of Federal law to use this product in a manner inconsistent with the directions. When used as directed, the product is an effective disinfectant, deodorant and sanitizer. When used as directed, it is non-corrosive and non-staining to most common metals, plastics and tile. The product is not to be used as a terminal sterilant/high level disinfectant on any surface or in contact with the bloodstream or normally sterile areas of the body, or (2) contact with the body or otherwise enter normally sterile areas of the body. This product may be used to pre-sterilize or high level disinfection.

**Disinfection in Hospitals, Restaurants, Homes and Public Rooms:** The product may be used on a variety of surfaces. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood and similar non-porous, hard, smooth surfaces. Always pre-clean surfaces with a suitable detergent solution containing 1 ounce of detergent per gallon of water for usual disinfecting applications. The use solution should be applied using a clean mop, sponge, or by a mechanical means to assure proper germicidal action. Food contact surfaces treated with this concentration of disinfectant should be rinsed with clean water. Discard solutions when visibly soiled.

**Sanitization of Food Contact Surfaces, Glassware, Silverware, Dishes, Cooking Utensils, Plants, Dairies and Restaurants:** Scrape or flush away gross soil and clean with a suitable detergent solution containing 1 ounce of the product in 4 gallons of water (200ppm active sanitizer). The sanitizer or with a clean cloth or mop. All surfaces must be thoroughly wet for 1-2 minutes for proper sanitization. Use a towel. No rinsing is required. Where possible, invert treated items (glassware, dishes, etc.) to dry. Prepare fresh solutions daily or more often if solutions become diluted or soiled.

**Flank and Udder Washing:** Use 1 ounce of Disinfectant per 4 gallons of water. Use a separate clean solution. Prepare a fresh solution for each milking. Prepare solution in non-corrosive containers or tubs. To prevent residues in milk, allow udder to air dry or dry with a clean towel before milking. **For Deodorizing Garbage Cans, Garbage Trucks, Industrial Waste Receptacles, and Garbage Trucks:** Prepare a solution of 2 oz. of the product per gallon of water.

**EPA REG. NO. 10807-130** EPA EST. NO. 10807-GA-1/IX-1/CA-1  
HMIS RATING: Health-3, Flammability-0, Reactivity-0, Personal Protection-B

Manufactured By  
**AMREP, INC.** • 990 Industrial Park