

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 10807-154	DATE OF ISSUANCE MAY 10 1990
	TERM OF ISSUANCE Until further notice	
	NAME OF PESTICIDE PRODUCT Methyl Parathion	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

160/253114
18/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, mostly illegible text, likely bleed-through from the reverse side of the page]

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: 5/14/90

Helbert 5-1-90

- d. Delete "Terminate" from your product's name. Terms or phrases implying total eradication or elimination of pests are unacceptable.
- e. Based on the directions for use, methods of application, sites of application, and container sizes, the product should be limited to commercial applicators. Thus, add to the front panel:

Only for Sale to, Use and Storage by Pest
Control Operators.

- f. Add these precautions under Directions For Use:

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

- g. Use in food handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement, "Not for Use in USDA Meat and Poultry Plants," or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.
- h. Delete "Fire Ants" under the "Ants" heading since specific instructions for controlling fire ants are given elsewhere on the label.
- i. Add to Precautionary Statements:
- Wear goggles, face shield or safety glasses when handling the undiluted material.
- j. The IF IN EYES statement should begin the Statement of Practical Treatment.
- k. Following the instructions to treat carpets add "Allow carpet to dry thoroughly before use."

1. Under Precautionary Statements add:

Wear full-faced gas mask with canister type recommended for general insecticide protection for applying indoors as a space spray.

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms when in use. Remove or cover fish bowls before application.

m. Under Environmental Hazards change "cleaning of equipment or disposal of wastes." to "disposing of equipment washwater."

3. The Storage Stability Study is not acceptable because you cannot reference the concentrate you are using to formulate your product. Please submit a Storage Stability study in which the formulated product is analyzed for its active ingredient at time zero and during a year of storage. The storage should be in warehouse conditions of temperature and humidity.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

4 of 4

BEST AVAILABLE COPY

Winsty

DIRECTIONS FOR USE
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Do not combine with other insecticides. Store product in original container in a shaded storage area. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixtures or empty containers is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the National Pesticide Information Center at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** For containers one gallon and under: Do not crush empty containers. Wash containers and put in trash for containers over one gallon. These may be recycled. They differ for recycling or reconditioning, or structure and disposal of in a secondary market or by other procedures approved by state and local authorities.

For use in non-food areas indoors and outside premises of hotels, motels, homes, preschools, nurseries, day camps, greenhouses, kennels, kennel houses, kennel training establishments, petting farms and processing plants, commercial, industrial, office, restaurants, homes, and storage buildings, barns, and storage rooms, etc., processing plants, supermarkets, restaurants, bathing facilities, kennels, flour and feed mills, breweries and dairies. Also for use in homes, mobile homes, boats, supermarkets, trucks, trailers, dog kennels and horse stables. **IN HOMESTABLES:** Prior to application of Winsty will be used for tick control. NOTE TO PEST CONTROL OPERATORS: One gallon of Winsty mixed spray is sufficient to treat 1500 linear feet with a 6 foot spray lance. For contact and residual spray mix product with water in the following manner:
 For 0.25% of finished spray mix: 2.5 fluid ounces of product per gallon of water, or mix 2.5 fluid ounces of product with 1 quart water.
 For 0.50% of finished spray mix: 1.2 fluid ounces of product per gallon of water, or mix 1.2 ounces of product with 1 quart water.
 For heavy infestations use the 0.50% solution. For lighter infestations and for maintenance purposes use the 0.25% solution.

PESTS INFESTING: For residual and contact control of cockroaches, silverfish, crickets, firebrats, termites, carpet beetles, mites, silverfish, earwigs, scorpions, etc. (including house flies, mosquitos, and ticks). For control of ticks, earwigs, scorpions, etc. (including house flies, mosquitos, and ticks). For control of ticks, earwigs, scorpions, etc. (including house flies, mosquitos, and ticks). For control of ticks, earwigs, scorpions, etc. (including house flies, mosquitos, and ticks).

SPIDERS: Spray directly on spiders where they occur. **ANTS:** Spray directly on ants and trails and cracks and crevices where they enter buildings and homes. **HOUSE FLIES:** Spray directly on flies where they enter buildings and homes. **FRUIT FLIES AND FLYING MOTHS:** Spray directly on flies and moths where they enter buildings and homes. **BEETLES:** Spray directly on beetles where they enter buildings and homes. **TERMITES:** Spray directly on termites where they enter buildings and homes.

amrep
 990 industrial park drive
 marietta, georgia 30062
 63 industrial drive
 cartersville, georgia 30120
 945 east pleasant run road
 lancaster, texas 75140
 3600 west carriage drive
 santa ana, california 92704

TERMINATE

Concentrated Residual Insecticide

AN INSECTICIDE OFFERING
 RESIDUAL KILL OF CRAWLING INSECTS
 FOR UP TO 4 WEEKS

ACTIVE INGREDIENTS	
1-Pyrene-3-(2,4-dichlorophenyl)-2,2-dimethylpropanoic acid (Cis and trans isomers)	13.30%/w/w
Inert Ingredients	86.70%
TOTAL	100.00%/w/w

*Cis/trans isomers ratio, min. 35% (-) cis and max. 65% (+) trans.
 †U.S. Patent No. 4,024,163
 ‡Roussel Bio's Praxem® brand of Permethrin insecticide, Roussel Bio Corporation, 400 Sylvan Avenue, Englewood Cliffs, NJ 07632

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER:) If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN.
WARNING
 See side panel for additional precautionary statements and statement of practical treatment.

EPA Reg. No. 102-10-10007-GA-1/5A-2-TX-1/CA-1

NET CONTENTS GALLON(S)

R-429 LS-B 2-8-89