

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 10807-156</p>	<p>Date of Issuance: 08 JUN 1992</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: Amrep 5003</p>	
<p>Name and Address of Registrant (include ZIP Code): Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. Make the following label changes: <ol style="list-style-type: none"> Revise the EPA Registration Number to read, "EPA Reg. No. 10807-156". Add the following to your precautions: "In hospitals, remove patients prior to treatment. Ventilate rooms for 2 hours before returning patients. Revise the precaution ". . .where exposed food will be handled with potable water." to read "where exposed food will be handled with an effective cleaning compound followed by a potable water rinse before reuse." Delete all references to vegetable and ornamental plants or name the actual plants. Reference to ornamental and vegetable plants is inappropriate. 		
<p>Signature of Approving Official:</p>		<p>Date: 08 JUN 1992</p>

1087

3. You must modify your Confidential Statement of Formula and/or label to correspond to the nominal concentration of the product in accordance with 40 CFR 156.10(g)(5) and PR Notice 91-2. This would involve either lowering the lower certified limit on your CSF or changing the label ingredient declaration accordingly.

4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

373

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.



5003

EPA Reg. No. 10807-XX EPA Est. No 10807-Ga-1
CONTAINS PYRENONE®

House Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 2 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor coverings where pets are kept. Repeat as necessary. Use only the recommended pet spray on pets.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow treated fabric to dry thoroughly before using. Repeat treatment as necessary.

IN ANIMAL QUARTERS and MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

TO TREAT ANIMALS: To protect beef cattle, dairy cattle and horses from attacks of Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

Exposed Stages of Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for that purpose.

Exposed Stages of Flour Beetles, Weevils and Grain Mites: Spray into cracks, and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary. Infested stored products in the home should be disposed of.

Controls Garden Insects on Ornamental Vegetable Plants: Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains.

Acceptable for Use To Day of Harvest on Edible Plants

For use in SCHOOLS, HOSPITALS, INSTITUTIONS, SUPERMARKETS, DAIRIES, HOTELS, RESTAURANTS, DRIVE-INS, MOTELS, DRUG STORES, FOOD PLANTS, MILK ROOMS and ANIMAL QUARTERS.

Provides Rapid Control of HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS (Millers), GNATS, WASPS and accessible stages of COCKROACHES, ANTS, WATER BUGS, SILVERFISH, FLOUR BEETLES, WEEVILS, GRAIN MITES and SPIDERS. KILLS AND REPELS STABLE FLIES, HORSE FLIES, FACE FLIES, DEER FLIES, HOUSE FLIES, MOSQUITOES and GNATS. Controls Garden Insects on Ornamental and Vegetable Plants. ACCEPTABLE FOR USE TO DAY OF HARVEST ON EDIBLE PLANTS.

ACTIVE INGREDIENTS:

Pyrethrin	0.5%
Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS:	94.5%
	100.0%

*Equivalent to 4% (butylcarbityl) (6-propylpiperonyl) ether and 1% related compounds

PYRENONE — Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN
CAUTION
See rear panel for additional precautions.

NET CONTENTS: _____

BEST AVAILABLE COPY

Store in a cool dry place. Store below 32°F. Replace cap, wrap container in plastic and place in trash.

HAZARD

Harmful if swallowed. Avoid contact with skin. Avoid contact with eyes. Avoid contact with commercial food handling equipment when processing equipment is underway. After spraying, wash benches, shelving, and equipment with water. All food processing equipment should be treated, or thoroughly cleaned, before use. Remove pets, birds, and animals from treated areas.

STATEMENT

IF SWALLOWED: Consult physician. Drink one or two glasses of water. Do not induce vomiting. Do not take back of throat. Never give to a child or other person.

IF INHALED: Remove to fresh air. If irritation persists, consult physician.

IF IN EYES OR ON SKIN: Flush with water. If irritation persists, consult physician.

This product is toxic to fish. Do not discharge into water by disposal of waste.

PHY

Contents under pressure. Do not puncture or incinerate. May cause bursting.

Buyer assumes all responsibility for use in accordance with directions.

MANUFACTURED BY



☐ 990 Industrial
☐ 945 East Pleasant
☐ 3600 West

AC with EPA

08 JU

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under the name 5003.