

10807-156

11/19/2003

Page 182

NOV 19 2003

Amrep Inc.
990 Industrial Park Drive
Marietta, GA 30062

Dear Ms. Watson:

Subject: Label Revisions (2001-1)
Product Name: Misty Omnicide H.P. Insect Spray
EPA Registration No. 10807-156
Application date: August 26, 2003

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below.

1) Under the Storage and Disposal statement add the statement:

“Do not contaminate water, food, or feed by storage or disposal.

2) Submit four (4) copies of the final printed labeling prior to releasing this product for shipment.

A copy of your label “Accepted with Comments is enclosed for your record.

To expedite handling, please return a copy of this letter with your final printed labels to Ms Pat Quarles. If you have any questions please call (703) 305-6876.

Sincerely,



Linda Arrington
Acting Product Manager 10
Insecticide Branch
Registration Division 7505

enclosure

OMNICIDE H.P. INSECT SPRAY

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.**

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

HOUSE FLIES, MOSQUITOES, GNATS, WASPS AND SMALL FLYING MOTHS (MILLERS): Close all doors and windows and spray room at the rate of 2 seconds per 100 cubic feet. Direct spray to all parts of the room, especially window and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary. **COCKROACHES, WATERBUGS, SILVERFISH, SPIDERS, CENTIPEDES AND SOY BEANS:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and doors, around drains and plumbing, filling cracks with spray wherever possible. Repeat treatment as necessary. **ANTS:** Spray trails, nests and points of entry. Spray on ants wherever possible. Repeat as necessary. **TO KILL FLEAS AND BROWN DOG TICKS ON DOGS, CATS, AND PUMPKINS:** Apply directly to animals along back, under fur and on other areas except genitalia. Pet hair to contact skin and insure good cover. Hold nozzle about one foot away while spraying. Spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of dog houses and kennels, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects as possible. Repeat as necessary. **CARPET BEETLES:** Spray directly on beetles, bookshelves, bookcases, boxes, and carpets. Repeat as necessary. **SPIDERWEBBING:** Spray spider webs, particularly around walls and ceilings. Take beds apart and spray into all joints. Treat bed boards, mattress and floor. After treatment, make it dry thoroughly before using. Repeat treatment as necessary. **IN ANIMAL QUARTERS AND MILK ROOMS:** For rapid control of **HOUSE FLIES, MOSQUITOES, GNATS, WASPS AND SMALL FLYING MOTHS:** Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. **TO TREAT ANIMALS:** To protect animals from attacks of **STABLE FLIES, HORSE FLIES, DEER FLIES, HOUSE FLIES, HORSE FLIES, MOSQUITOES AND GNATS:** Spray about 3 seconds to each side being careful to spray back, withers and hockage thoroughly. To protect from **FACE FLIES:** Spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome. **EXPOSED STAGES OF INDIAN MEAL MOTHS AND ANGIQUOUS GRAM MOTHS:** Close doors and windows. Direct spray into all parts of room, especially around stored food products, pantries and deli cases. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly for 48 treated. Infested stored products should be inspected or treated by other effective methods using an approved product intended for that purpose. **EXPOSED STAGES OF FLOUR BEETLES, WEEVILS AND GRAM MITES:** Spray into cracks and crevices, processing and handling equipment, around drains or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary. Infested stored products in the home should be disposed of. **COURTIOUS GARDEN BEETLES ON ORNAMENTAL AND VEGETABLE PLANTS:** Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants, spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperature exceeds 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains. Acceptable for Use to Day of Harvest on Edible Plants. Use on Ornamentals (Roses, Azaleas, Dahlias, African Violets, Azaleas, Eranthis, Hydrangeas, Junipers, Lilacs) to control **APHIDS, ROSE CHAMELIS, JAPANESE BEETLES, ROSE SLUGS, TENT CATERPILLARS, SCALE INSECTS (including THAWNS), LANCEBILLS, MEALY BUGS (including CITRUS MEALYBUGS), WINTER BUCKINGHAM, SPIDER AND BROAD MITES, PLANT BUGS, WHITEFLIES, LEAF MINERS, NITONAROMA LEAFMINER, SACKWORMS AND LEAF ROLLERS.** Use on Vegetables (Peppers, Eggplants, Potatoes, Cucumbers, Squash, Melons, Beans, Sweet Corn) and Tomatoes to control **FLY BEETLES, HORNWORMS, STRIP BEETLE, COLORADO POTATO BEETLE, APHIDS (including GREEN PEACH APHIDS), LEAFHOPPERS, BLISTER BEETLES, STYPPID AND SPOTTED CUCUMBER BEETLES, MEXICAN BEAN BEETLES, WHITEFLIES, 13-SPOTTED BEETLES AND JAPANESE BEETLE.**

STORAGE & DISPOSAL: Store in a cool dry area away from heat and open flames. Do not transport or store below 32°F. **CONTAINER DISPOSAL:** Do not puncture or incinerate if EMPTY. Place in trash or other for recycling if available. If PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

PRECAUTIONARY STATEMENT: HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS: PRECAUTIONARY STATEMENT: HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with an effective cleaning compound followed by a potable water rinse before reuse. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove trash, birds, and cover fish aquaria before spraying. In hospitals, remove patients prior to treatment. Ventilate rooms for 2 hours before reentering.

FIRST AID STATEMENTS: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes or cleaning of equipment.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Reg. No. 10887-108 EPA Est. No. 10607-GA-1 (Equivalent to 18.7 Fluid Ounces)

MADE IN U.S.A. BY:

Amnrep

990 Industrial Park Drive • Marietta, GA 30062

FOR EMERGENCY MEDICAL INFORMATION
CHEMTEL, INC. 1-800-355-3824

877034p

A00401

MISLY

Omnicide H.P.

Insect Spray

- For Use In: Schools, Hospitals, Institutions, Supermarkets, Dairies, Hotels, Restaurants, Drive-Ins, Motels, Drug Stores, Feed Plants, Milk Rooms and Animal Quarters.
- Provides Rapid Control of: House Flies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps and accessible stages of Cockroaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.
- Kills and Repels: Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Mosquitoes and Gnats.

ACTIVE INGREDIENTS:

Pyrethrin	0.5%
*Permethrin, Technical	5.0%
INERT INGREDIENTS:	94.5%
TOTAL:	100.0%

*Equivalent to 4% (Duytochyl)(6-propylpiperonyl)ether and 1% related compounds.

A00401 ACCEPTED
WITH COMMENTS
In EPA Letter Dated:
NOV 19 2003

KEEP OUT OF REACH OF CHILDREN.
CAUTION:
See back panel for additional precautions.
NET WT. 16 OZ. (1 LB.) (454 GRAMS)

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for the pesticide registered under EPA Reg. No. 10887-108