

YM 10

10807 - 158

1/3

15 MAR 1996

Mr. Shawn Nepp  
Amrep, Inc.  
900 Industrial Park drive  
Marietta, Georgia 30062

Dear Mr. Nepp:

Subject: Amrep 5004  
EPA Reg.No. 10807-158  
Revised label and confidential statement of formula  
(CSF) dated 12/6/95

The CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A copy has been included in the file for this product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Delete from the precautionary statements the sentence about ventilating rooms before returning patients. Add to the directions for use the following statement:  
In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to rooms until after ventilation.

Add to the physical or chemical hazards statement the following:  
Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

**BEST AVAILABLE COPY**

1/3

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

RPK

Richard P. Keigwin, Jr.  
Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (7505C)

**BEST AVAILABLE COPY**

*In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to rooms until after ventilation.*

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.**

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

**Flies, Mosquitoes, Gnats, Wasps, and Flying Moths (Millers):** Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary. **Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Sow Bugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, killing insects with spray whenever possible. Repeat treatment as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **Indian Meal Moths and Angoumois Grain Moths:** Close doors and windows. Direct spray into all parts of room especially around stored food product container, jackets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. **Carpenter Beetles:** Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary. **Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. **Lice:** Spray on garments, bedding, mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist. For bedding: Make sure spray is directed in corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required. For mattresses, furniture and carpeting: Direct spray into all folds, tufts, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use. **Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary. **Fleas:** Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

**STORAGE & DISPOSAL:** **STORAGE:** Store in a cool dry place inaccessible to children and pets and away from heat or open flame. **DISPOSAL:** Replace cap, wrap in several layers of newspaper and discard in trash. Do not puncture or incinerate.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**CAUTION:** Avoid breathing of vapor or contact with skin or eyes. Vacate premises after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment and washed with an effective cleaning compound followed by a potable water rinse before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds, and cover fish aquariums before spraying. In hospitals, remove patients prior to treatment. Ventilate rooms for 2 hours before returning patients.

**STATEMENT OF PRACTICAL TREATMENT: IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person. **IF IN EYES:** Flush eyes with water for 10-15 minutes. Contact a physician if irritation persists. **IF ON SKIN:** Remove contaminated clothing. Thoroughly wash affected areas with soap and water. Contact a physician if irritation persists. Wash clothes before reuse.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

03785

EPA Reg. No. 10807-150 EPA Est. No. 10807-GA-1

Made in U.S.A.

FOR EMERGENCY MEDICAL INFORMATION

CHEM • TEL, INC. 1-800-255-324

MANUFACTURED BY: AMREP, INC.

990 Industrial Park Drive • Marietta, GA 30062



**Amr  
5004**

- For Use in Schools, Dairies, Supermarkets, Motels, Drugstore Quarters
- Provides Rapid Control of Moths (Millers), Roaches, Ants, Beetles, Grain M

**ACTIVE INGREDIENTS:**

Pyrethrins .....  
 \*Piperonyl Butoxide, Technical .....  
**INERT INGREDIENTS:** .....  
**TOTAL:** .....  
 \*Equivalent to 1.6% (butylcarbitol) (B-P) and 0.4% related compounds

**KEEP OUT OF REACH  
CAUTION**

See back panel for additional information  
NET WT. 16 OZ. (1 LB)

*Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.*

**BEST AVAILABLE COPY**