

PM 13 10807-163 P9 182

10807-163
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Until Reregistration

Amrep 5008

DEC 27 1993

161/545549E
18/1

Amrep Inc.
990 Industrial Park Drive
Marietta, GA 30062

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 10807-162" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

CONCURRENCES

SYMBOL							
SURNAME	MIDWITS						
DATE	12/27/93						

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

For use in apartments, attics, basements, boats, cabins, campers, closed barns, day camps, garages, homes, horse stables, household storage areas, kennels, pet sleeping areas, rooms, greenhouses, ship cabins, lath houses, seed houses, washrooms, and the non food/food areas of schools, theaters, trucks, warehouses, box cars, hospitals, hotels, industrial plants, motels, and preschools

STATEMENT OF PRACTICAL TREATMENT: IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. Do not contaminate water by disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not place on stove or radiator. Exposure to temperatures above 130°F may cause bursting. Do not use this unit in less than 100 cubic feet. **IMPORTANT!** To avoid **FLAMMABILITY HAZARD**, use can as follows: • Only one can per room. • Do not place in cabinet or under counter or table. • Shut off electrical equipment. • Place can at least 6 feet from pilot lights.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains, (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30' by 25' with an 8 foot ceiling.) For **FLEAS** and **TICKS:** Use once 6 ounce can for

every 1,500 cubic feet of room space. **STORAGE AND DISPOSAL:** **STORAGE:** Store in a cool dry area inaccessible to children and pets and away from heat, sparks or open flame. **DISPOSAL:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. **HOW TO USE:** **Step 1: PREPARATION:** Open cupboards, cabinets, trunks, and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Remove pets, birds, and tightly cover or remove fish bowls and aquariums before spraying. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used.) Remove or cover exposed foods, dishes, utensils or food handling equipment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Shut off electrical appliances. Do not place activated fogger in a cabinet or under a counter or table. **Step 2: ACTIVATION OF FOGGER: SHAKE WELL JUST BEFORE USING.** Place a section of newspaper on floor in center of room to be treated. **NOTE:** Do NOT place fogger on water-stainable surface. Do not place can within 6 feet of pilot lights. Tilt can opening away from face and depress tab firmly with thumb until it clicks in locked position. Aiming spray away from face, set fogger on newspaper, leave room and close door. After activation, leave room or house at once. Keep area closed for 2 hours (30 minutes for flying insects) before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 10807-777 EPA Est. No. 10807-GA-1

MANUFACTURED BY:



990 Industrial Park Drive
Marietta, Georgia 30062

09/93

KEEP OUT OF RE
CAU

See back pa
precautiona
NET WT. 6 O

BEST AVAILABLE COPY



• Contains Pyrethrin® and P
Where They Hide • Kills On
Unpleasant Odor • Water-B
Accessible Stages of These
Beetles, Centipedes, Cockro
Crickets, Earwigs, Firebrats,
Fruit Flies, Gnats, Grasshopp
Millipedes, Mole Crickets, Mo
Rice Weevils, Sawtoothed G
fish, Small Flying Moths, Sow
Flies), Ticks, Wasp, Waterbu
Not For Use in USDA Meat a

ACTIVE INGREDIENTS:

Pyrethrins
*Piperonyl Butoxide, Techn
**Permethrin

INERT INGREDIENTS:

TOTAL:
*Equivalent to min. 0.6% (b
ether and 0.15% related com
**(3-phenoxyphenyl) me
dichloroethenyl) 2,2-dimethy
trans ratio: min. 35% (+/-) cis
PYRENONE and **PERMANC**
Roussel Uclaf Corporation.