For Use In Apartments, Attics, Basements, Boats, Cabins, Campers, Garages, Hornes, Household Storage Areas, Kennels, Pel Sleeping Areas, Rooms, Washrooms, Ship Cabins, and Non-Food/Feed Areas of Non-Commercial/Greenhouses, Hospitals, Hotels, Industrial Plantis, Lathhouses, Motels, Preschools, Schools, Sechouses, Box Cars, Closed Bams, Horse Stables, Theaters, Trucks and Warehouses - Non-Staining • Water-Based Formula • Kills Exposed or Accessible Stages of These Insects: Anis, Carpet Beelles, Centipidees, Cockroaches, Confused Flour Beetles, Crickets, Earwigs, Firebrais, Fieas, Fies, Fruil Fies, Gnats, Grasshoppers, Homets, House Files, Millipedes, Mole Crickets, Mosquitoes, Moths, Palmetto Bugs, Pilbugs Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Small Flying Moths, Sowbugs, Spiders, Ticks, Wasps, Waterbugs and Yellow Jackets.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin or inhaled. Avoid contact with skin or clothing, and avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

STATEMENT OF PRACTICAL TREATMENT: IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF IN EYES: Flush with plenty of water. Call a physician'il initiation persists JF INHALED. Remove victim to fresh air: If not breathing give artificial respiration, preferably mouth-ormouth. Get medical attention. ~

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not place on stove or radiator. Exposure to temperatures above 130°F may cause bursting. IMPORTANT! To avoid FLAMMABILITY HAZARD, use can as follows: • Only one can per room. • Do not place in cabinet or under counter or table. • Shut off electrical equipment. • Place can at least 6 feet from pilot lights.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 fool ceiling). For FLEAS AND TICKS: Use one 6 ounce can for every 1,500 cubic feet of room space.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is explosed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Not For Use In USDA Meat and Poultry Plants. In the home all food processing surfaces and utensits should be covered during treatment or thoroughly washed before use. Nonfood/nonfeed areas are areas such as garbage rooms, lavalories, floor drains (to severs), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canving or bothing). STORAGE & DISPOSAL; STORAGE:Store in a cool dry area inaccessible to children and pets

SIUMAGE & DISPUSAL; STORAGE:Store in a cool dry area inaccessible to children and pets and away from heal, sparks, open flame or pilot light.DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

HOW TO USE: Step 1: PREPARATION: Open cupboards, cabinets, trunks, and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut oft lans and air conditioning to maximize killing power of log. Remove pets, birds, and tightly coyer or remove lish bowls and aquariums before spraying. Cover waxed wood floors and waxed lumiture in the immediate area surrounding the fogger (newspapers may be used). Remove or cover exposed loods, dishes utensits or lood handling equipment. All lood processing surfaces should be covered during treatment or throughly cleaned before using. Shut oft electrical appliances. Do not place activated togger in a cabinet or under a counter or table. Step 2: ACTIVATION OF FOGGER: SHAKE WELL, 2015 TBEFORE USING. Place a section of newspaper on a

Step 2: ACTIVATION OF FOGGER: SHAKE WELL JUST BEFORE USING. Place a section of newspaper on a level floor surface in center of room to be treated. NOTE: Do NOT place fogger on water-satiable surface. Do not place can within 6 feet of plot lights. This can opening away from face and depress tab firmly with hitmult lik clicks in locked position. Aiming spray away from face, set fogger on newspaper, leave room and close door. After activation. leave room or house at once. Keep area closed for 2 hours (30 minutes for flying insects) before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary. 08/95

EPA Reg. No. 10807-164 EPA Est. No. 10807-GA-1

FOR EMERGENCY MEDICAL INFORMATION: CHEM+TEL, INC. 1-800-255-3924 MADE IN U.S.A. BY: AMREP, INC.

990 Industrial Park Drive • Marietta, GA 30062

Total Release Indoor Fogger

ACTIVE INGREDIENTS:	
*Tetramethrin	
**Permethrin	
***Piperonyl Butoxide, Technical	
TINERT INGREDIENTS:	


Fog Plus II

**(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)2,2-dimethylcyclopropanecarboxylateCis/ trans ratio; min. 35% (+/-) cis and max. 65% (+/-) trans.

***Equivalent to min. 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds. +CONTAINS PETROLEUM DISTILLATES.

KEEP OUT OF REACH OF CHILDREN. CAUTION:

See side panel for additional precautionary statements. NET WT. 6 OZ. (170 GRAMS)



3

0

Ū,

Ο

 \widetilde{o}

1

791

\000001\labels\aeroso\\0807-164.doc as of 09/03/96

((1))