

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JAN 2 0 2011

Mr. Sam Turetsky Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Subject:

Misty II Disinfectant & Deodorant EPA Registration Number: 10807-177 Application Date: October 25, 2010 Application Receipt: November 2, 2010

Dear Mr. Turetsky,

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- Revise label per Agency letter dated 09/17/2010;

General Comments

A stamped accepted label is enclosed for your records. Submit a final printed label before distributing or selling this product bearing the revised labeling.

If you have questions concerning this letter, then please contact me at 703-308-6416 or by email at campbell-mcfaralane.jacqueline@epa.gov or Killian Swift at 703-308-6346 or by email at swift.killian@epa.gov. When you are submitting information or data in response to this letter, send a copy of this letter to accompany the submission to facilitate processing.

Sincerely.

Jacqueline Campbell-McFarlane

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510P)

CONCURRENCES									
SYMBOL	iclosure: EP	A stamped lan	el						
SURNAME									
DATE									
EPA Form 1320-14 (1/90)			Printed on Recycled Paper			OFFICIAL FILE COPY			

USES: This Hospital Disinfectant and Deodorant acts within water rinse in order to remove heavy soil or gross filth. Allow 10 minutes to disinfect germ laden surfaces such as Refuse to air dry. Hold dispenser upright about 6 to 8 inches from Cans, Toilet Seats, Telephones, Wash Basins, Urinals, surface to be disinfected and spray 3 seconds or until surface Laundry Chutes, Door Knobs, Metal Beds and Springs, is thoroughly wet. Allow to remain for at least 10 minutes at Wheel Chairs, Linen Carts, Non-Porous Hampers, Dressing 20°C(68°F) for effective results. FOR MILDEW CONTROL: Carts, Cleanup Carts, Light Switches, Office Machinery, Clean surface. Spray surface until wet. Repeat application and other hard, nonporous surfaces after the surface has every week to maintain control. IMPORTANT: Do not use on been properly cleaned. Will reduce the hazard of cross polished wood furniture or rayon fabrics. contamination from treated surface by bacteria from environmental surfaces.

Molecular aerosol deodorant attacks malodor at the source. Does not cause anosmia. Suppresses and eliminates odors by chemically neutralizing odor producing materials.

Effective on odors from any source when used as a local solid waste agency or 1-800-CLEANUP for disposal deodorant in hospitals, nursing homes, and ambulances. instructions. Also effective on odors in kitchens, bathrooms, industrial plant processes, food processing and packaging plants

This product will control the following pathogenic organisms with eyes or clothing. Wash hands before eating, drinking, when used as a surface disinfectant: Mycobacterium bovis chewing gum, using tobacco or using the toilet. paradysenteriae, Staphylococcus aureus (ATCC 6538), for treatment advice. Have the product container or label (ATCC 9533), Methicillin Resistant Staphylococcus aureus going for treatment. (MRSA), (ATCC 33592); Vancomycin Resistant Enterococcus faecalis (VRE), (ATCC 51575); Community Associated Influenza A virus (ATCC VR-544)(Strain Hong Kong), and (ATCC VR-734) and HIV-1 (AIDS virus) (strain III rf) on attributable to Pandemic 2009 H1N1are caused by influenza A virus. This product is a broad-spectrum hard surface disinfectant that has been shown to be effective DECONTAMINATION AGAINST HIV-1 ON SURFACES/ against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

Inhibits growth of mildew (mold fungi) such as Aspergillus niger (ATCC 6275) and Penicillium variable (NRRL 3765) on hard surfaces for 7 days and for 28 days on fabric. Acts instantly and remains effective for long periods on unpleasant odors from fecal matter, urine, burns, smoke, mildew and mold decay, garlic, onions, food putrefaction, state air, perspiration, tobacco, sick rooms, musty closets,

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. be used to preclean or decontaminate critical or semi-critical DIRECTIONS: SHAKE WELL BEFORE USING. FOR waste disposal. DISINFECTING AND DEODORIZING: Clean surface thoroughly with an effective detergent followed by a potable

MADEINU.S.A. BY: 990 Industrial Park Drive • Marietta, GA 30062

STORAGE & DISPOSAL: STORAGE: Store in a cool area away from heat or open flame. DISPOSAL: Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your

PRECAUTIONARY STATEMENTS: HAZARDSTO **HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Causes moderate eye irritation. Avoid contact


(BCG), Mycobacterium smegmatis (ATCC 700044), FIRST AID STATEMENTS: IF IN EYES: Hold eye open and Pseudomonas aeruginosa (ATCC 15442), Salmonella rinse slowly and gently with water for 15-20 minutes. Remove enterica (ATCC 10708), Salmonella schottmuelleri contact lenses, if present, after the first 5 minutes, then (paratyphoid B) Salmonella typhosa, Shigella continue rinsing eye. Call a poison control center or doctor Streptococcus pyogenes, Trichophyton mentagrophytes with you when calling a poison control center or doctor, or

PHYSICAL OR CHEMICAL HAZARDS: THIS PRODUCT CONTAINS AN EXTREMELY FLAMMABLE PROPELLANT. Do Methicillin Resistant Staphylococcus aureus (CA-MRSA), not use or store near fire, sparks or heated surfaces. Turn (NARSA NRS123) (Genotype USA400). *Virucidal. Kills off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase Influenza B Virus (ATCC VR-823)(Strain B/Hong Kong/5/ is completed relight pilot lights and reconnect electrical 72). Herpes simplex virus type 1 (Strain S-148) and type 2 current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure environmental hard surfaces. Respiratory illnesses to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

*SPECIAL INSTRUCTIONS FOR CLEANING AND **OBJECTS SOILED WITH BLOOD/BODY FLUIDS. KILLS** HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Disinfection will occur in 10 minutes at 25°C. This product is not to be used as a terminal sterilant/high PERSONAL PROTECTION: Clean up must always be done level disinfectant on any surface or instrument that (1) is wearing protective gloves, gowns, masks, and eye introduced directly into the human body, either into or in protection. CLEANING PROCEDURE: Blood and other body contact with the bloodstream or normally sterile areas of the fluids containing HIV-1 must be thoroughly cleaned from body, or (2) contacts intact mucous membranes but which surfaces and objects before application of this disinfectant. does not ordinarily penetrate the blood parrier or otherwise CONTACT TIME: Disinfection occurs in 10 minutes. enter normally sterile areas of the body. This product may DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials, and clothing must be autoclaved medical devices prior to sterilization or high level disinfection. and disposed of according to local regulations for infectious

> EPA REG. NO. 10807-177 EPA EST. NO. 10807-GA-1 (Equivalent to 20.74 Fluid Ounces)

> > 221-20



- · Inhibits Mold and Mildew Growth for 7 Days on Hard Surfaces and for 28 Days on Fabric!
- Tuberculocidal Staphylocidal Bactericidal Fungicidal
- · Pseudomonicidal · *Virucidal
- Kills Herpes simplex virus type 1 and type 2 and HIV-1 (AIDS virus) on environmental hard surfaces
- · *Effective Against Antibiotic Resistant Strains VRE, MRSA. CA-MRSA
- · Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu)

 Excellent for Veterinarian and Professional Greening Tools and Equipment (Disinfects, Cleans, Cools)

ACTIVE INGREDIENTS:	
ortho-phenylphenol	0.177%
para-tertiary-amylphenol	
ethyl alcohol	
OTHER INGREDIENTS:	38.430%
TOTAL:	100.000%
FORMULATION CONTAINS SODIUM NIT	TRITE AND 3% ALCOHOL (METHY
OR ISOPROPYL ALCOHOL)	•

AN 2 0 2011 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the Quistide, registered under 10807-177 EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

See back panel for additional precautionary statements.

NET WT. 1 LB. 0.5 OZ. (16.5 OZ.)(468 grams)