• For Household Use Only • Controls Ornamental Garden Insects • A broad spectrum insecticide highly effective against Ants, Carpenter Ants, Bees, Carpet Beetles, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Grain Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Souwbugs, Spiders, Ticks, Wasps, and many other pests.

MADE IN U.S.A. BY:

Marietta. GA 30062

990 Industrial Park Drive

Amreo, Inc.

ACTIVE INGREDIENTS:

AVIII L INVILUILII O.		
*Tetramethrin:		
**Permethrin:		
***Piperonyl Butoxide, Technical:		
INERT INGREDIENTS:		
TOTAL:	•	
Manufactoria () disactoria idensity () disactoria (

*1-cyclohexene-1, 2-dicarboximidomethyl-2, 2-dimethyl-3- (2-cbethyl-propenyl) cyclopropanecarboxylate **(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2, >dic-lor:ethenyl) 2, 2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and mc x 65% (-/-) trans. ***Equivalent to min. 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

KEEP OUT OF REACH OF CHILDREN.

See side panel for additional precautions. NET WT. 11 OZ. (312 grams)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS:

CAUTION: Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin eyes and clothing. Avoid breathing vapor or spray mist. * Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use. Avoid contamination of feed and foodstuffs. *

FIRSTAID STATEMENTS: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Binse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rines slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with woith ou when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment wastwaters.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the home, all food processing surfaces and utensits should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. SHAKE WELL BEFORE USING. Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

INDOORS: Houseflies, Fruit Files, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Files, Blow Files and Smalt Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard tallen insects. * Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipades, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. * Antis: Spray trails, nests and points of entry. Spray on ants where possible. * Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. * Bedbugs: Spray mattresses, particularly around tufts and seams. Allow mattress to dry thoroughly before use. After mattress is dry, conver with mattress cover and basebo and other storage directing the Spray that and spray into all joints. Treat baseboards, moldings and floors. * To control Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be traded by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS: Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. Pests on Outside Surfaces of Buildings: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs): Spray foundation of building where insects are active and may be find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surface of buildings where insects are active and may be find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surface of buildings where insects and refuse dumps. ^ FLYING INSECTS: Files, Mosquitoes, Gnats, Smail Flying Moths, Hornets and Yellow Jackets: Allow log to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. ^ CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish: Spray intested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray and traits and hills. Ants, Lone Star Ticket, Crickets, Flees and Earwigs: Apply thoroughly to infestations in bushes, grass or weeds. For Ants, spray ^ around ant traits and hills. FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whitelies, Anbids, exposed Thrips. Spiders, Red Mites and charminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African Violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese - Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do hent spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. ^

* STORAGE & DISPOSAL: STORAGE: Store in a cool, dry area. Do not transport or store below 32°F. CONTAINER DISPOSAL: Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. 12/030

EPA REG. NO. 10807-185 EPA EST. NO. 10807-GA-1

2002

읪

of 12/01/03

Naerosol/10807-185(12-03p).doc as

per Agency letter dated 11/07/03.

highlighted in blue are

Areas I

NOTE:

O

0.901

Ś