


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

10807-188

17 JUL 1996

NOTICE OF PESTICIDE:  
  x   Registration  
       Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Misty Industrial  
Insect Killer

Name and Address of Registrant (include ZIP Code):

Amrep, Inc.  
990 Industrial Park Drive  
Marietta, GA 30067

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No. 10807-188".
  - b. Qualify nonfood with nonfeed wherever it appears on the label. For example, "Nonfood/nonfeed areas are areas such as garbage...."
3. On the Confidential Statement of Formula the upper/lower limits for the certified limits are in the wrong column and should be switched.

Signature of Approving Official:

Date:

EPA Form 8570-6

CONCURRENCES

SYMBOL							
SURNAME	<i>Thibaut</i>						
DATE							

page 2  
EPA Reg. No.

283

4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
 CAUTION: Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquarium before spraying. Vacate room after treatment and ventilate before reoccupancy. Do not allow children or pets to contact treated areas until surfaces are dry.  
**STATEMENT OF PRACTICAL TREATMENT: IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.  
**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.  
**DIRECTIONS FOR USE:** Use in accordance with Federal law to use this product in a manner inconsistent with its labeling.


**STORAGE & DISPOSAL:** STORAGE: Store in a cool, dry area. Do not transport or store below 32°F. DISPOSAL: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.  
 Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after cleaning or bottling). Not for use in USDA meat and poultry plants. Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

**SHAKE WELL BEFORE USING.** Remove protective cap. Hold container upright and spray from a distance of 12 to 15 inches.  
**INDOORS:** Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Weevils, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary. Cockroaches, Waterbugs, Palmto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hiding insects with spray whenever possible. Repeat treatment as necessary. After spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. Indian Meal Moths, Angoumois Grain Moths: Close doors and windows; direct spray into all parts of room especially around stored food products containing, packages and darkened areas. Spray for 10 seconds for each 100 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application as necessary. Exposed stages of Contoured Flour Beetles, Grain Weevils, Drug Store Beetles, Rice Weevils, Grain Weevils, Grain Mites in exposed Adult and Larvae stages: Spray into cracks and crevices, processing and packaging equipment, around cartons or containers or other areas where these insects tend to congregate. Treat areas many times as possible. Spray 30 seconds for each 10 square feet of surface. Keep area closed for 15 minutes to 1 hour before re-entry. Space Spray: Spray 20 seconds for every 1000 cu. ft. of space, moving toward the floor. Leave room and keep area closed for 15 minutes following treatment. Repeat application for Carpet Beetles, Carpet Beetles, Carpet Beetles, Carpet Beetles, Beetles and other insects. Treat areas many times as possible. Repeat application for Carpet Beetles, Carpet Beetles, Carpet Beetles, Carpet Beetles, Beetles and other insects. Repeat treatment as necessary. Bedbugs: Repeat treatment as necessary. Apply spray liberally to empty chests, closets, bureau drawers, and other areas where the spray nozzles, joints and crevices. After emptying, insects and eggs may be treated by spraying lightly. Keep nozzle at least five feet from fabric to avoid staining. Fleas in buildings - Space Spray: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are reached. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupancy. Repeat treatment after 7 days or as needed. Fleas & Ticks (Adult and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices, around baseboards, and window and door frames. Insecticide impregnated furniture and mattresses may also be treated with this product. A bed application should be made to upholstery or drapery fabrics in an inconspicuous place below use. To control Fleas and Lice on dogs: Start at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the head to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than four weeks old. To kill Lice and Louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only these garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use. IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, Houseflies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies: Spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome. FOR SWINE: Do not spray animals for slaughter within 5 days of last treatment. TO CONTROL BLOOD SUCKING LICE: Apply to the thickest areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required. TO CONTROL POUFLY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist. FOR CONTROL OF BEDBUGS AND MITES IN POUFLY HOUSES: Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites live.

**OUTDOORS:** Point spray nozzle away from face. Hold can at slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jacket: Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary. Mud Daubers and Wasp Nests: Spray first thing on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are most active. Spray into hiding and breeding places contacting insects as possible. CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish: Spray infested surface of patio or porch area, hiding as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

EPA Reg No. 10807-177 EPA Est. No. 10807-GA-1 08/95

Manufactured By: AMREP, INC. • 990 Industrial Park Drive • Marietta, GA 30062



**MISTY**

**Misty Industrial Insect Killer**

- Controls Industrial Insects • Seeks Out Bugs Where They Hide
- Kills on Contact • For Commercial/Agricultural Use
- A Broad Spectrum Insecticide Highly Effective Against Ants (including Carpenter Ants), Bees, Beetles (including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and Other Pests Listed on the Label
- Non-Staining • No Unpleasant Odor • Water-Based Formula

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide, Technical	0.50%
Permethrin	0.20%
INERT INGREDIENTS:	99.20%
TOTAL:	100.00%

\*Equivalent to min. 0.4% (butoxycarbonyl) (6-propylpiperonyl) ether and 0.1% related compounds.  
 \*\*1-(3-phenoxyphenyl) methyl (+/-) isothians 3-(2,2-dichloroethyl) 2,2-dimethyl-4-propionate carboxylate. Cis:trans ratio, min. 35% (+/-) and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN.  
**CAUTION:**

See back panel for additional precautionary statements.  
 NET WT. 16 OZ. (1 LB.) (454 GRAMS)

ACCEPTED with COMMENTS in EPA Letter Dated

17 JUL 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

10807-188

0807