

10807-204

8/20/2010

1 of 2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Ms. Susan Watson
Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062

AUG 20 2010

Subject: Label Amendment Revising Storage and Disposal Instructions
Per PR Notice 2007-4
Misty Repco Kill LF
EPA Reg. No. 10807-204
Your Submission Dated June 17, 2010

Dear Ms. Watson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. A stamped copy of your label is enclosed for your records.

This label supersedes all previously accepted labels for the subject product. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this letter or the next printing of the label, whichever occurs first, must bear the new, revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague".

Kathryn Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)

Enclosure

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.
PERSONAL PROTECTIVE EQUIPMENT (PPE): When mixing, loading, or applying this product, repairing or cleaning equipment used with this product, cleaning up spills, or otherwise exposed to the concentrate; wear eye protection (face shield or safety glasses), chemical resistant gloves (barrier laminate, nitrile rubber, vitron, selection category E), long-sleeved shirt, long pants, chemical resistant apron, socks, and shoes. Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. This product may cause skin sensitization reactions in some people.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: • User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. If this container is over one gallon and less than five gallons, then persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. If this container is five gallons or more in capacity, do not open pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Immediately call poison control center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact National Poison Control at 1-800-222-1222 for emergency medical treatment information. (Note: Private labels may use own phone number.) [National Poison Control is 1-800-222-1222].

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard. Contains petroleum distillates. **PHYSICAL OR CHEMICAL HAZARDS:** Contains petroleum distillates. Do not use or store near heat or an open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a specially formulated non-selective vegetation killer for controlling a wide range of annual and perennial weeds and grasses. Apply undiluted as a spray on non-cropland areas where bare ground is desired. Control will vary with the amount of chemical applied, soil type, rainfall and other conditions. This product is non-corrosive to metal surfaces. Especially compounded for industrial and municipal weed control.

APPLICATION RESTRICTIONS: NOT FOR USE IN AERIAL APPLICATIONS. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Not to be used in any recreational areas or in or around homes.

Use of this product in certain portions of California, Oregon and Washington is subject to the January 22, 2004 Order for injunctive relief in *Washington Toxics Coalition, et al. v. EPA*, C01-0132C, W.D. WA.). For further information, please refer to EPA Web Site: <http://www.epa.gov/esp>.

SPRAY DRIFT MANAGEMENT: A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product. Droplet Size: When applying sprays that contain



Repco Kill LF

ACTIVE INGREDIENT:

Isocetyl: (2-Ethylhexyl ester)	
of 2,4-Dichlorophenoxyacetic acid*	1.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil):	0.61%
OTHER INGREDIENTS**:	98.30%
TOTAL:	100.00%

*2,4-Dichlorophenoxyacetic acid equiv. 0.7%.

Isomer specific AOAC Method No. 6 DO 1-5.

**Contains petroleum distillates, xylene, or xylene range aromatic solvent.

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

AUG 20 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10807-204

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

See side panel for additional precautionary statements.

SCIENTIFICALLY FORMULATED FOR INDUSTRIAL AND INSTITUTIONAL USE

MADE IN U.S.A. BY:



B00577

NET CONTENTS 1 GALLON (3.8 LITERS)

2,4-D as the sole active ingredient, or when applying sprays that contain 2,4-D mixed with active ingredients that require a coarse or coarser spray, apply only as a coarse or coarser spray (ASAE standard 572) or a volume mean diameter of 385 microns or greater for spinning atomizer nozzles. When applying sprays that contain 2,4-D mixed with other active ingredients that require a medium or more fine spray, apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles. **Wind Speed:** Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors large deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind. If applying a medium spray, leave one swath unsprayed at the downwind edge of the treated field. **Temperature Inversions:** If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions. **Susceptible Plants:** Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stages), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants. **Other State and Local Requirements:** Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed. **Equipment:** All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates. 2,4-D esters may volatilize during conditions of low humidity and high temperatures. Do not apply during conditions of low humidity and high temperatures.

ENTRY RESTRICTIONS: Do not enter or allow others to enter the treated area until sprays have dried.

GENERAL WEED CONTROL: To control most weeds on non-cropland areas such as parking lots, fence rows, railroad sidings and storage yards.

ANNUAL and PERENNIAL WEEDS: Limited to 2 applications per year. Maximum of 2.0 lbs ae 2,4-D (or 38.5 gallons of product) per acre (7/8 gallon or 7 pints of product for each 1,000 square feet) per application. Minimum of 30 days between applications.

WOODY PLANTS: Limited to 1 application per year. Maximum of 4.0 lbs ae 2,4-D (or 77 gallons of product) per acre (1 3/4 gallons or 14 pints of product for each 1,000 square feet) per year.

DIRECTIONS: This product may be applied at any time of the year, EXCEPT when ground is frozen. Best results are obtained after vegetation has emerged, in late spring or early summer. Use power sprayers, compressed air hand sprayers, or an ordinary sprinkling can. No dilution or agitation is required.

CAUTION: Vapors from this product may injure susceptible plants, as this product may injure cotton, beans, peas, grapes, ornamentals, etc.

STORAGE & DISPOSAL: Do not contaminate water, food, feed or fertilizer by storage or disposal. **PESTICIDE STORAGE:** Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with absorbent and place in closed, labeled container for proper disposal. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. (For containers 5 gallons or less:) Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 3/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (For containers greater than 5 gallons:) Triple rinse container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 3/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

NOTE: To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, beyond the directions for use as stated on the label. To the extent consistent with applicable law, Seller's liability, failure under the label shall be limited to the amount of the purchase price.

EPA REG. NO. 10807-204 EPA EST. NO. 10807-TX-1

06/10p

NOTE: To match EPA stamped "accepted" label and comments letter dated 08/17/2009. Areas in blue are edits per PR Notice 2007-4

2042