10809-205

1-07-2004

/a

JAN - 7 2004

Susan Watson Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062

Dear Ms. Watson:

SUBJECT:

Label Amendment

Misty Repco Kill III

EPA Registration No. 010807-205

Your Application Dated September 16, 2003

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted with comment.

Since this product is not intended solely for household use, reinstate the storage and disposal instructions specified in PR Notice 83-3.

The amended label supersede all previously accepted ones. A stamped copy is enclosed for your records. Please submit one copy of your printed label incorporating the revision specified above, before you release the product for shipment.

Sincerely yours,

151

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANNIALS:

CAUTION: Harmful if absorbed through skin. Avoid contact with oldn, eyes, or clothing. When mixing, leading, or applying this product, or repairing or closning equipment used with this product, wear eye protection (face shield or safety glasses). chemical-resistant gloves, long sleeved shirt, long pents, socks, and shoes. It is recommended that salety glasses include front, brow and temple protection. West bands, tace, and some with some and water as soon as possible with mixing. loading, or applying this product. Wash hands, face, and some with scorp and water before eating, annothing, or disking. What hands and arms before using tollet. After work, remove all clothing and shower using soap and water. Do not rouse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be lept and weeked separately from other household learning. Plemove seturated civiling as soon so possible and shower. If container is 1 gailon size: Plines thoroughly before discarding in track. If this container is over one gallon and less than five gallons, then persons engaged in open pouring of this product must also wear coveralls or a chemical resistant arron. If this container is live gallons or more in capacity, do not open pour product from this container. A mechanical system (much as a probe and pump or apigot) must be used for transferring the contents of this container. If the contents of a non-reliable posticide container are emptied, the probe must be rinsed

FIRST AID STATEMENT: IF ON SIGN OR CLOTHING: Take off conteminated clothing. Place skin immediately with plurity of water for 15-29 minutes. Cell a poison control center or doctor for treatment advice. IF IN EYES: Hold ope open and rings signify and goodly with water for 15-20 minutes. Flamove contact lenson, if present, after the first 5 minutes, then continue making eye. Cell a poleon continue center or doctor for treatment advice. IF SWALLOWED: Call a polson control center or doctor immediately for treatment advice. Here person sip a glass of water I able to sandow. Do not lacknes ing unions told to do no by a poison costed center or ductor. Do not give anything by mouth to an uncomptions person, MOTE TO PHYSICIAN: Contains potentium distillates - vomiting may cause aughtration proumonts. Have the produnt container or label with you when collect a spinon control

center or doctor, or going for beatment.

ENVIRORMENTAL HAZANDS: This product in toxic to equalic invertebrates. Ordit or runoff may adversely affect equalic invertebrates and non-target plants. Do not apply directly to water, or to areas where mariace water in present or to interficial areas below the mean high water mark. Do not contemb water when disposing of equipment weekwaters. Do not apply when weather conditions layer drift. Vapors from this product may injure appointful plants in the immediate vicinity Course sprays are less thely to drift.

Most cases of groundwater contin herbicides such as 2.4-D have been associated with whing!

ACCEPTED with COMMENTS JAN - 7 2004

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.



Repco Kill III

ACTIVE BIGREDIENT: lecoptyt (2-Elfrythexyl seter) of 2,4-Dichlorophenoxyacetic acid*... Bromacii (5-bromo-3-eac-butyl-6-methyluracii):... ... 0.96% NERT INGREDIENTS": *2.4-Dictionophenographic acid equity, 0.7%.

learner specific AOAC Method No. 6 DO-1-5. "Contains petroleum distillates.

B00578

KEEP OUT OF REACH OF CHILDREN. CAUTION:

See side panel for further Precautions and First Aid Instruction. SCIENTIFICALLY FORMULATED FOR INDUSTRIAL and INSTITUTIONAL USE

NET CONTENTS 1 GALLON (3.8 LITERS)

loading and disposed alles. Caution should be exercised when handling 2,4-D posticides at such sites to prevent contaming 2,4-to passingues at such times to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this product will reduce the probability of spills. Pleasment of miningflooding equipment on an impervious ped to contain spills will halp prevent groundwater

PHYSICAL OR CHEMICAL HAZARDS: Comming policious delitates. Do not use or store near heat or an open flame. DIRECTIONS FOR 1986: It is a violation of Federal law to use

this product in a manner inconsistent with its labeling.
This product is a specially formulated non-enlective vegetar hiller for controlling a wide range of annual and perennial weeds and graces. Apply unditated as a spray on noncraphed areas where here ground is desired. Control will very with the amount of chemical applied, and type, retrief and other conditions. This product is non-corrective to metal enforces. Especially compounded for industrial and municipal

wood control. CATRIENAL WEED CONTROL: To control most woods on noncroptend areas such as parting lots, tence rows, relivoed sidings and storage yards, spary at the rate of 1 to 2 gallons for each 1000 square feet (40 to 80 gallons per acre). DIFIECTIONS: This product may be applied at any time of the

year, EXCEPT when ground is frozen. Best results are obtained after vegetation has excepted, in late spring or early summer. Use power gazyers, conspecsed air hand aprayers, or an ordinary sprinkling care. No dilution or agilization is

CAUTION: Vapore from this product may injure eurospible plants, as this product may injure collers, beans, peas, grapes,

STORAGE & DISPOSAL: Do not contembrate water. lood, feed or fertilizer by storage or disposal. Keep container fightly classed when not in use. If container is desmaged or leating, contain split. Scalt up apilled material with absorbert and place in closed, lebeled container for proper disposal. PERTICIDE DISPORAL: Posticido ventes are toxic. Imprope disposal of second postición, apray minima, or rivesto in a violation of Federal Law and may contaminate ground mater. If these wester cannot be disposed of by use according to label impactions, contact your State Pesticide or Emisonmental Control Agency, or the Hazandous Waste representative at your EPA Regional Office for guidance. COSTAINER DIS-POBAL: IF EMPTY: Do not reume this conteller. Place in trush or offer for recycling if evaluation IF PARTLY FILLED: Call your local solid worth agency or 1-600-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA REG. NO. 10007-205 MADE IN U.S.A. FOR: - EPA EST. NO. 10007-TX-1

Aemreo

990 Industrial Park Drive Marietta, Georgia 30062 B00578

NOTE: Areas highlighted in blue are per PR Notice 2001-1 and 2001-6. Triioulde/05788-LABL(12-02).doc as of 09/18/03

REDUCED TO FIT 8'12 KII