1-206 1080

10/20/2008



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

> > OCT 2 0 2008

Susan Watson Amrep, Inc. 990 Industrial Park Dr. Marietta, GA 30062

Subject:

Label Amendment Misty Weed-A-Cide CF EPA Reg. No. 10807-206 Application dated September 9, 2008 Resubmission dated October 17, 2008

Dear Ms. Watson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records.

Submit one (1) copy of final printed labeling before you release the product for shipment.

Sincerely,

Jim Tompkins

Product Manager 25 Herbicide Branch Registration Division (7505P)



Weed-A-Cide CF

ACTIVE INGREDIENTS:

ROTHE MONEDIENTS:	
Prometon (2,4-Bis(isopropylamino)-6- methoxy-s-triazine):	4.66%
OTHER INGREDIENTS*:	95.34%
TOTAL:	100.00%
*Contains Petroleum Distillates	

This product contains 0.34 lb. of Prometon per gallon.

B00593

KEEP OUT OF REACH OF CHILDREN. CAUTION:

See side panel for additional precautionary statements. SCIENTIFICALLY FORMULATED FOR INDUSTRIAL and INSTITUTIONAL USE

NET CONTENTS:							
GALLONS		5		<u>55</u>		<u>Other</u>	
GALLONS LITERS		18.9		208		Specify	

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Causes substantial but temporary eye injury. Do not get in eyes, skin or clothing. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Do not give any liquid to the person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, than give artificial respiration, preferably by mouthto-mouth if possible. Call a poison center or doctor for further treatment advice.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are neoprene, nitrile and viton. If you want more options, follow the instructions for category C on an EPA chemical-resistant category selection chart. All mixers, loaders, applicators, and other handlers must wear: - long-sleeved shirt and long pants, and - shoes plus socks. In addition, mixers and loaders supporting motorized ground equipment and handlers cleaning up spills or equipment must wear chemical-resistant gloves. such as neoprene, nitrile or viton.

USER SAFETY REQUIREMENT: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, or store near heat or open flame. STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal, PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in over-pack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use. Do not store near fertilizers, seeds, insecticides, or fungicides. Store at temperatures above 32°F. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. (For containers 5 gallons or less): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (For containers greater than 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

GENERAL INFORMATION: This emulsifiable concentrate provides effective non-selective annual and broadleaf weed control in non-cropland areas such as storage areas, pumps, machinery, fuel tanks, recreational areas, roadways, guard rails, airports, military installations, highway medians, pipelines, lumberyards, rights-of-way, fences, railroads, and around buildings or industrial sites (cross connects, pedestals, transformers, vaults, buried cable closures, telephone booths, and fire plugs) where bare ground is desired, a wide variety of annual and perennial weeds and grasses are controlled in the above sites.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Limited to 1 application per year. Do not apply this product in a residential setting. Weeds greater than 4 inches must be mowed, removed, or hoed into the soil prior to application. This product will not provide herbicidal action in the treated area unless application is immediately followed by watering the area with at least 1/4" of water or application of the product just prior to a rain event sufficient to penetrate to the root system of the target vegetation. Do not use this product to sloped areas where desirable vegetation or nearby water bodies may be located downhill of the application area, since injury to desirable plants and other vegetation may result.

A variety of factors including weather conditions (e.g. wind direction wind seed temperature relative humidity) and method of application (e.g. groundboom, spraver) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product. Use only medium or coarser spray nozzles according to ASE (S572) definition for standard nozzles. Do not apply at wind seeds greater than 10 mph.

Uniformly spray one gallon of this product mixed in ten gallons of water over 1,200-sq. ft. of soil surface. Thoroughly wet all foliage to ensure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is active. Where vegetation is tall and dense, use one gallon of this product in ten gallons of water per 830 sq. ft. of soil surface. For control of hard to kill perennial weeds and grasses such as Johnsongrass, Bindweed, and Wild Carrot, use one gallon product per 850 sq. ft. of soil surface. Although this product has considerable activity through foliar contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary. Do not apply this product in a way that will contact workers or others either directly or through drift. Only protected handlers may be in area during application. Do not enter or allow others to enter treated area until sprays have dried.

Do not use this product on or near desirable plants including within the dripline of the roots of desirable trees and shrubs, since injury to desirable plants and other vegetation ay result. Avoid spray drift to desirable plants. Annual maximum application rate is 0.2 lb prometon per 500 square feet or 18 lbs prometon per acre.

NOTICE: Variations in weather and conditions under which this product may be used could alter its performance and rate of effectiveness.

> EPA REG. NO. 10807-206 EPA EST. NO. 10807-TX-1

> > registered under

MADE IN U.S.A. BY:

Marietta, GA 30062

90 Industrial Park Drive

770 422 2071 + 800 241 7766

amreø

ACCEPTE

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide

EPA Reg. No. 10807-206

OCT 2 0 2008 B00593

10/08p

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Causes substantial but temporary eye injury. Do not get in eyes, skin or clothing. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST ÅID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Do not give any liquid to the person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, than give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison center or doctor for further treatment advice.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are neoprene, nitrile and viton. If you want more options, follow the instructions for category C on an EPA chemical-resistant category selection chart. All mixers, loaders, applicators, and other handlers must wear: - long-sleeved shirt and long pants, and shoes plus socks. In addition, mixers and loaders supporting motorized ground equipment and handlers cleaning up spills or equipment must wear chemical-resistant gloves, such as neoprene, nitrile or viton.

USER SAFETY REQUIREMENT: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, or store near heat or open flame. STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by

storage or disposal. PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in over-pack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a samitary landfill. Keep container closed when not in use. Do not store near fertilizers, seeds, insecticides, or fungicides. Store at temperatures above 32°F. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER HANDLING: Nonrefiliable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. (For containers 5 gallons or less): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into



Weed-A-Cide Cl ACCEPTED

> OCT 2 0 2008 Under the Federal Insecticide,

Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10807-206

ACTIVE INGREDIENTS:

Prometon (2,4-Bis(isopropylamino)-6- methoxy-s-triazine):	4.66%
OTHER INGREDIENTS*:	
TOTAL:	100.00%
*Contains Petroleum Distillates	

This product contains 0.34 lb. of Prometon per gallon.

B00593

KEEP OUT OF REACH OF CHILDREN. **CAUTION:**

See side panel for additional precautionary statements. SCIENTIFICALLY FORMULATED FOR INDUSTRIAL and INSTITUTIONAL USE

NET CONTENTS 1 GALLON (3.8 LITERS)

application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

GENERAL INFORMATION: This emulsifiable concentrate provides effective non-selective annual and broadleal weed control in non-cropland areas such as storage areas, pumps, machinery, fuel tanks, recreational areas, roadways, guard rails, airports, military installations, highway medians, pipelines, lumberyards, rights-of-way, fences, railroads, and around buildings or industrial sites (cross connects, pedestals, transformers, vaults, buried cable closures, telephone booths, and fire plugs) where bare ground is desired, a wide variety of annual and perennial weeds and grasses are controlled in the above sites.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Limited to 1 application per year. Do not apply this product in a residential setting. Weeds greater than 4 inches must be mowed, removed, or hoed into the soil prior to application. This product will not provide herbicidal action in the treated area unless application is immediately followed by watering the area with at least 1/4 ° of water or application of the product just prior to a rain event sufficient to penetrate to the root system of the target vegetation. Do not use this product to sloped areas where desirable vegetation or nearby water bodies may be located downhilf of the application area, since injury to desirable plants and other vegetation may result.

A variety of factors including weather conditions (e.g. wind direction wind seed temperature relative humidity) and method of application (e.g. groundboom, sprayer) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product. Use only medium or coarser spray nozzles according to ASE (S572) definition for standard nozzles. Do not apply at wind seeds greater than 10 mph. Uniformly spray one gallon of this product mixed in ten gallons of water over 1,200-sq. ft. of soil surface. Thoroughly wet all foliage to ensure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is active. Where vegetation is tall and dense, use one gallon of this product in ten gallons of water per 830 sq. ft. of soil surface. For control of hard to kill perennial weeds and grasses such as Johnsongrass, Bindweed, and Wild Carrot, use one gallon product per 850 sg. ft. of soil surface. Although this product has considerable activity through foliar contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary. Do not apply this product in a way that will contact workers or others either directly or through drift. Only protected handlers may be in area during application. Do not enter or allow others to enter treated area until sprays have dried.

Do not use this product on or near desirable plants including within the dripline of the roots of desirable trees and shrubs, since injury to desirable plants and other vegetation ay result. Avoid spray drift to desirable plants. Annual maximum application rate is 0.2 lb prometon per 500 squaré teet or 18 lbs prometon per acre.

NOTICE: Variations in weather and conditions under which this product may be used could alter its performance and rate of effectiveness.

10/08p EPA REG. NO. 10807-206 EPA EST. NO. 10807-TX-1

MADE IN U.S.A. BY:

990 Industrial Park Drive Marietta, GA 30062 770.422.2071 • 800.241.7766

B00593