

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 1 0 2010

Susan Watson Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062

Subject:

Label Amendment (container handling PRN 2007-4)

Misty Ex-It CF

EPA Reg. No. 10807-207

Application Dated June 22, 2010 Resubmission Dated July 20, 2010

Dear Ms. Watson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you make the following changes:

1. Under CONTAINER DISPOSAL, add the statement "Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances." at the end of the text after the triple-rinse instructions.

A stamped copy of your label is enclosed for your records. This label supercedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this letter or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

Jim Tompkins Product Manager 25

Herbicide Branch

Registration Division (7505P)

Mindy march for



## Ex-It CF

ACTIVE INGREDIENTS:	
Lithium Salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil):	2.75%
OTHER INGREDIENTS*:	97.259
TOTAL:	100.009
This product contains 0.25 lbs. of bromacil per gallon.	

ACCEPTED with COMMENTS in EPA Letter Dated

AUG 1 0 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

10807-207

**B00594** 

KEEP OUT OF REACH OF CHILDREN.

**CAUTION:** 

See side panel for additional precautionary statements.

<b>NET CONT</b>	ENTS:		
<b>GALLONS</b>	5	<u>55</u>	Other
LITERS	18.9	208	Specify

## PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

FIRST AID STATEMENT: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact tenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. NOTE: This product may cause skin sensitization in some people. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear: - Long sleeved shirt and long pants - Chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton ≥ 14 mils - Shoes plus socks - Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergents and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENTRY RESTRICTIONS: Do not enter or allow others to enter the treated areas until sprays have dried. ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: This undiluted product is combustible. Do not smoke while applying this undiluted product. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL: Do not contaminate water, food, feed or fertilizer by storage or disposal. PESTICIDE STORAGE: Store product in original container only. Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with absorbent and place in closed, labeled container for proper disposal, PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, soray mixture, or rinsate is a violation of Federal Law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. (For containers 5 gallons or less:) Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (For containers greater than 5 gallons:) Triple rinse container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION: This product is an effective general herbicide for use on non-cropland areas for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. It is a water soluble liquid to be mixed in water and applied as a spray. It may also be applied undiluted for basal (soil) treatment of brush. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of the chemical applied, soil type, rainfall, and other conditions. This product after mixing in water, is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

IMPORTANT: Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants or on areas where the chemical may be washed or moved into contact with their roots. Do not use on lawn, walks, driveways, tennis courts, or similar areas. Not to be used in any recreational areas in or around homes. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with tertilizers, insecticides, lungicides, and seeds. Thoroughly clean all traces of this product from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

APPLICATION RESTRICTIONS: The maximum broadcast treatment rate is 48 gallons per acre per year to deliver a maximum of 12 lbs of active incredient per calendar year. Do not use this product in any recreational area or around homes. Treatment of ditch banks, seasonally wet areas, transitional areas between upland and lowland sites is prohibited.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**DIRECTIONS:** Apply this product before or during the period of active growth of plants to be controlled when rainfall can be expected for soil activation. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to determine quantity of water necessary to uniformly cover measured area to be treated. Measure the proper amount of this product and mix into the necessary volume of water. After this product has been thoroughly mixed in the spray tank, agitation of the spray solution is not required.

Use a fixed boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a hand our sprayer, dilute as indicated in following text, then the resulting solution at rates equal to at least 200 gals, of diluted spray per acre. For treating small areas, a tank type hand sprayer or sprinkling can may be used. For basal (soil) treatment of brush, this product may be applied undiluted with an exact delivery hand our application.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as RAILROAD, HIGHWAY and PIPELINE RIGHT OF WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, and industrial plant sites: Apply 12 to 24 gals, of this product per acre to control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, bromegrass, ragweed, lambsquarters, puncturevine, orchardgrass and turkey mullein. When applied prior to or after emergence of annuals, rates as low as 6 gal. per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas. Apply 24 gals, of this product per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, bahiagrass, bluegrass, redtop, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain, and wild carrot. In areas with low or seasonal rainfall, RATES AS LOW AS 18 GALS. PER ACRE CONTROL MANY PERENNIAL WEEDS AND GRASSES. Apply no more than 48 gallons of this product per acre to control johnsongrass, use at the same rate for other hard to kill perennial weeds and grasses such as bermuda grass, diallisgrass, nutsedge, vaseygrass, saltgrass, bouncingbet, dogbane, bracken fern and horsetail. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the West, this product will not provide satisfactory control of hard to kill, deep-rooted perennial weeds such as johnsongrass. Use higher levels of the dosage range on adsorptive soils (usually those high in organic matter or carbon).

RETREATMENT: Apply 6 to 24 gals. of this product per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

FOR SMALL AREAS: 24 fl. oz. of this product per 250 sq. ft. is approximately 32 gals, per acre, BRUSH CONTROL: TO CONTROL undesirable woody plants on non-cropland areas such as railroad right-ofways, storage areas, and industrial plant sites.

BROADCAST TREATMENT: Apply 18 to 40 gals. of solution per acre to control oak, willow, sweet gum, and pine; apply up to 48 gals. of solution per acre to control brush such as American elm, winged elm, hackberry, sumac, and cottonwood. Use the higher levels of dosage ranges on absorptive soils (those high in organic matter or carbon).

BASAL (SOIL) TREATMENT: Controls woody plants such as cottonwood, hackberry, maple, oak, poplar, red bud, sweet gum, wild cherry, willow, winged elm, American elm and sumac.

UNDILUTED: Apply this product undiluted with an exact delivery hand gun applicator; this equipment delivers a thin stream of predetermined volume when triggered. Apply at rate of 40 to 80 milliliters per stem 2" to 4" in basal diameter: direct the treatment to a spot at the base of the brush (root collar area). When treating large stems and more than one delivery of solution is needed per stem, apply on the opposite side of stem. Note: this product is combustible. Do not smoke while applying the undiluted product, and keep away from heat and open flame,

NOTICE OF WARRANTY: This product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of seller. To the extent consistent with applicable law, in no case shall seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. To the extent consistent with applicable law, all such risks shall be assumed by the buyers.

> EPA REG. NO. 10807-207 EPA EST. NO. 10807-TX-1

990 Industrial Park Drive Marletta, GA 30062

770.422.2071 • 800.241.7766

MADE IN U.S.A. BY:

B00594

07/10p