

DPA

10807-209



MISTY

Tri-Kill

- For Selective Broadleaf Weed Control in Ornamental Lawns and Turf Grasses
- One Quart Covers 10,000 Square Feet

ACTIVE INGREDIENT:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	4.55%
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy)Propionic Acid**	4.58%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)Propionic Acid***	4.53%
INERT INGREDIENTS:	86.34%
TOTAL:	100.00%

Isomer Specific AOAC Method, Equivalent to:
 *2,4-Dichlorophenoxyacetic Acid 3.6% or 0.33 lbs./gallon
 **2-(2-Methyl-4-chlorophenoxy) propionic Acid 3.8% or 0.33 lbs./gallon
 ***2-(2,4-Dichlorophenoxy) propionic Acid 3.6% or 0.33 lbs./gallon

KEEP OUT OF REACH OF CHILDREN.
WARNING:
 See back panel for additional precautionary statements.

B00595

NET CONTENTS 1 GALLON (3.8 LITERS)

00000-LABEL(07-03p).pmd

07/12/2003, 10:23 AM

ACCEPTED
 in EPA Letter Dated

DEC 19 2003

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

10807-209

1 OF 2

12/19-2003

1/2

MISTY TRI-KILL

PRECAUTIONARY STATEMENTS: HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS:

WARNING: Causes severe but temporary eye injury. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid breathing spray mist and contact with skin. When mixing, loading, or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, back and temple protection. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications to turf treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried. If the container is over one gallon and less than five gallons, then someone engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. If this container is five gallons or more in capacity, do not open your product from this container. A mechanical system (such as probe and pump or sprayer) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be fitted to removal.

FIRST AID STATEMENT: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIANS:** Probable mucosal damage may contribute to the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. DRIF or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to lowland areas below the high water mean level. Do not contaminate water when disposing of equipment washwaters nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spill occurs, collect the material and dispose of by following disposal instructions in this label. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D, MCPP, and 2,4-CP have been associated with mislabeling and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Do not store near food, feedstuffs, seeds, fertilizers, insecticides or herbicides. Do not store diluted spray. Store at temperatures above 32°F. If allowed to freeze, reheat before using. This does not alter this product. Containers should be opened in well-ventilated area. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. **PESTICIDE DISPOSAL:** Pesticides-residues are toxic. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixture, or dilute is a violation of Federal law and may contaminate ground water. If these waters

cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with the following. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

WEEDS CONTROLLED: This herbicide is effective for the control of Black Medick, Buckhorn, Burdock, Bulbous, Canada Thistle, Carpet Weed, Chickweed, Chicory, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, English Daisy, Florida Pursley, Frenchweed, Ground Ivy, Hairywood, Head-Ali, Heartbit Dryery, Herb, Johnson Weed, Knotweed, Lambquarter, Malton, Morning Glory, Mustard, Oats, Penstemon, Poppyweed, Pigweed, Purslane, Poison Ivy, Poison Oak, Purslane, Rag Weed, Red Clover, Red Sorrel, Sheep Sorrel, Smartweed, Spurge, Spurge/Weed, Toadflax, Veronica, Wild Aster, Wild Carrot, Wild Sorrel, Yarrow, and many other broadleaf weeds. After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard to control broadleaf weeds may require a second treatment in 3 to 4 weeks. In the event further applications are needed, use as a spot treatment. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, walking weeds and lawn grasses; do not over-spray. Spray when air is calm to avoid spray drift that may injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application. Make new dilution for each use.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times. **BENT, BERMUDA, RED PECTUS, CARPET, ST. AUGUSTINE AND CENTIPED GRASSES:** Use a one-half rate which is 4 to 8 ounces in 6 gallons of water to treat 2,500 square feet of lawn. Make two applications 10 days apart. Do not spray grasses if stressed from heat, drought, etc. Slight turf yellowing should disappear after about 1 week. Do not apply to Dichondra, Lippia, and Clover lawns.

LAWN WEEDS: To kill Dandelion, Wild Onion, Pennywort, Purslane, Head-Ali and similar weeds: Use 8 to 13 ounces in 6 gallons of water and apply with pump or hose-end sprayer, or spraying can to 2,500 square feet of lawn. For smaller areas use 3 teaspoons in 2 quarts of water applied to 100 square feet. For larger areas use 1 to 1 1/2 gallon in 50 gallons of water for 43,500 square feet.

To kill undesirable plants such as Poison Ivy and Poison Oak, use 2 ounces in 2 quarts of water or 2 gallons in 12 1/2 gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard-to-kill weeds such as Poison Ivy, Poison Oak and English Daisy may require a Fall application.

SUPPORT: Avoid drift spray (coarse sprays are less likely to drift) on vegetables, lawns, ornamental shrubs, trees, and other desirable crop plants. Do not dispose of solution used to clean sprayer near desirable plants. Do not use this product for controlled weeds in flower or vegetation beds or around shrubs or ornamental plantings. Do not re-seed for 3 to 4 weeks after use.

EPA REG. NO. 10697-200 EPA EST. NO. 10697-TX-1

MADE IN U.S.A. BY: **METTER**

NOTE: Areas highlighted in blue are per PR Notice 2001-1 and 2001-6

TUQUA010696B-LABL(09-030).doc 06/27/03

990 Industrial Park Drive
Marietta, Georgia 30062

B00595