

10820-7

4/11/1988

Page 123

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

ASG
217747
656
17

APR 11 1988

Mr. E. David Lewis
Pazianos Associates
1338 G Street, S.E.
Washington, D.C. 20003

Dear Mr. Lewis:

Subject: Trigran S
EPA Registration No. 10820-7
Your Submissions Dated March 15, 1988

The labeling referred to above, submitted
in connection with registration under the Federal Insecticide,
Fungicide and Rodenticide Act, as amended, is acceptable. A
stamped copy of the label is enclosed for your records.

Sincerely yours,

Lois A. Rossi
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not plant root crops in FOS treated fields within 12 months of broadcast and banding applications unless FOS is registered for use on those crops.

GENERAL DIRECTIONS: **TRIGRAN[®]-S** has been developed solely for seed treatment to prevent the damage caused by fungus carried on seeds, or by fungus which already exists in the soils, destroying and damaging seed and seedlings as well as reducing the stands.

Do not use treated seed for food, feed or oil purposes. Seed treated with **TRIGRAN[®]-S** which is placed in containers must be labeled in accord with all applicable requirements of the Federal Seed Act. NOTE: Some states have similar requirements.

APPLICATION RATES: Uniform application of **TRIGRAN[®]-S** is necessary to obtain adequate seed coverage and to produce the best results. **TRIGRAN[®]-S** may be applied directly to the seed (i.e., by drip method) or mixed in one to two equal parts of water and sprayed. Refer to the table below for appropriate seed treatment rates.


SEED	DISEASE	APPLICATION DOSAGE
WHEAT	Covered smut	2 fl. oz./Bushel
OATS	Covered smut	3 fl. oz./Bushel
BARLEY	Covered smut	3 fl. oz./Bushel
COTTON	Root & Stem Rot	12 fl. oz./100 lb (acid delinted)
	Damping off	16 fl. oz./100 lb (delinted mechanically)
BEAN (Snap & Dry)	Root & Stem Rot	2 fl. oz./Bushel
	White Mold	
CORN	Root & Stem Rot	2 fl. oz./Bushel
SOYBEAN	Root Rot	3 fl. oz./Bushel
SAFFLOWER	Damping off	3 fl. oz./Bushel
	Root Rot	

NOTICE

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment will vary, seller makes no claims other than those stated on this label.

TRIGRAN-S

SEED PROTECTOR



EPA REG. No. 10820-7

EPA EST. No. 10820 MX 01

ACCEPTED

4-11-88

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

EPA Reg. No. 10820-7

ACTIVE INGREDIENT:
Pentachloronitrobenzene (PCNB) 24.7 o/o
INERT INGREDIENTS 75.3 o/o
TOTAL 100.0 o/o

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

283

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed or inhaled. Avoid breathing spray mist. Use with adequate ventilation. Avoid contact with eyes, skin or clothing. Avoid contact with skin by wearing the following protective clothing: long-sleeved shirt, long pants, socks and shoes. Wash hands thoroughly after using. Remove contaminated clothing and wash before reuse. Wear gloves and respirator when loading sprayer. Avoid contamination of food and feed products.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.
If inhaled, remove victim to fresh air. Apply artificial respiration, preferably mouth to mouth, if indicated.
If in eyes, flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Cover or incorporate treated seeds (granules). Do not contaminate water when disposing of equipment waste-water.

CHEMICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Keep container closed.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Protect from temperatures below 20° F.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



MADE IN MEXICO BY



División Plásticos

Química Orgánica de México, S. A.

Km. 11.5 Carretera San Luis R. - C. 2 P. 21600 Mexicali, B. C.
Apdo. Postal 3-1206 2 P. 21100 Tels. 6-8901 al 08
P. O. Box 1640 Calexico Calif. 92231
Tels. 056 9 801

383