

PM 17 10827-3 12/7/90 1/1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish — Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. Do not use, pour, spill or store near heat or open flame. This formulation is combustible.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinse that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

CONTAINER DISPOSAL — Under 30 gallon sizes: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. 30 gallon sizes and over: a) reuse containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

SYNER-SOL FOGGING CONCENTRATE

FOR INSTITUTIONAL & COMMERCIAL USE BY TRAINED PERSONNEL ONLY

KILLS ROACHES, ANTS, CLOTHES MOTHS, FLIES, BEDBUGS AND THE EXPOSED STAGES OF INDIAN MEAL MOTH, ANGOUMOIS GRAIN MOTH, CHOCOLATE MOTH, CARPET BEETLE, CIGARETTE BEETLE, FLAT GRAIN BEETLE, RICE WEEVIL AND CADELLES AFFECTING FLOUR, CEREALS, FOOD PRODUCTS IN STORAGE WAREHOUSES, FOOD PROCESSING AND HANDLING ESTABLISHMENTS.

FOOD PROCESSING AND HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Pyrethrins 0.45%, Piperonyl Butoxide Technical* 0.90%, N-octyl bicycloheptene dicarboximide 1.50%

INERT INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Petroleum Distillates 97.15%, TOTAL 100.00%

*Equivalent to 0.72% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.18% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF INHALED — Move to ventilated area. IF ON SKIN — Wash with soap and water. If irritation develops, get medical attention. IF IN EYES — Flush with water for 15 minutes and see a physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ROACHES AND ANTS: Use 3 to 4 ounces for each 100 sq. ft. of area. Using equipment to give a coarse wet spray. For roaches and ants, treat doors, exposed window frames, base boards, and pipe openings. For silverfish, use 3 to 4 oz per 100 sq. ft. Frequent spraying of base boards, door frames, book cases and storage areas are necessary. Repeat treatment as necessary.

FLIES, MOSQUITOES, GNATS: Use 1/2 oz. per 1000 cu. ft. of space, directing the spray toward ceiling. Keep sprayer in constant motion, at least 36 inches away from walls, fabrics, furniture, floors, plastics, etc. Spraying closer may cause stains. Most asphalt tile, some linoleum and certain plastic materials have a tendency to discolor and soften when wet with petroleum base insecticides. Before spraying, test such materials by applying to small inconspicuous area.

FILL THE ROOM WITH MIST. SWEEP UP AND DESTROY FALLEN INSECTS. REPEAT TREATMENT WHEN NECESSARY.

CLOTHES MOTHS: Use 1 to 2 oz. per 1000 cu. ft. of space. When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as above, and also spray storage container before packing. Repeated monthly applications are advisable.

BEDBUGS: Use 1 to 2 oz per 1000 cu. ft. of space. Spraying mouldings, baseboards and cracks. Also spray bedstead paying particular attention to cracks and crevices. Spray springs and mattresses as well.

FOOD PROCESSING ESTABLISHMENTS: Exposed edible products must be removed or covered before spraying is begun and the premises must be cleaned thoroughly by washing after spraying is completed. Spray only when facility is not in operation.

FOR INSECTS AFFECTING STORED FOOD, FLOUR, GRAIN AND CEREALS — DO NOT SPRAY DIRECTLY ON EXPOSED FOOD, FLOUR, GRAIN OR CEREALS. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using product in these areas, apply only when the facility is not in operation. To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Chocolate Moth, Carpet Beetle, Cigarette Beetle, Flat Grain Beetle, Rice Weevils and Cadelles, use 3 to 4 oz. per 1000 cu. ft. of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices and other hiding places. Repeat treatment as required. KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.

DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.

Sanitation is necessary. Clean and remove deposits of food, grain and dust from storage areas. Clean conveyors and handling equipment.