

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Do not get in eyes, on skin or on clothing. Causes severe skin irritation, especially to broken skin. Causes eye damage. Harmful if swallowed. Wear goggles or face-shield and rubber gloves when handling this product. Remove and wash contaminated clothing.

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers -- "Official Method."

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinsate that cannot be used should be disposed of according to procedures approved by Federal, State or local disposal authorities.

CONTAINER DISPOSAL — Under 30 gallon sizes: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. **30 gallon sizes and over:** a) reuse containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

EPA Reg. No. 10827-7

EPA Est. No. 10827-TX-1

BIO-SOL

DISINFECTANT SANITIZER-DEODORANT

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
dimethyl benzyl ammonium chloride	10.00%
Ethanol	2.50%
TOTAL ACTIVE INGREDIENTS	12.50%
INERT INGREDIENTS:	87.50%
TOTAL INGREDIENTS	100.00%

Keep Out Of Reach Of Children DANGER

Harmful if swallowed, irritating to skin and eyes. Do not get on skin, in eyes or on clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink milk, egg whites, gelatin solution or if these are not available, large quantities of water. Avoid alcohol — Call A PHYSICIAN.

IF ON SKIN: Flush with plenty of water for at least 15 minutes.

IF IN EYES: Flush with plenty of water for at least 15 minutes and SEE A PHYSICIAN.

NOTE TO PHYSICIAN — Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Net Contents Gallons

7.8



INDUSTRIAL SOLVENTS

DIVISION CHEMICAL SPECIALTIES, INC. SAN MARCOS, TEXAS

ACCEPTED
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10827-7

DIRECT
It is a violation of Fed- manner incor
GENERAL DISINFECTANT
RESTAURANTS, PUBLIC
may be used on floor
furnishings, and equip
disinfection include glass
wood or metal, vinyl
leather, finished wood
surfaces. Always pre
treatment and rinse well
cleaning, apply solution
per gallon of water for
disinfecting contagio
gallon of water. The re
concentration using a
animal spraying device
with this concentration
with potable water be
This disinfectant has r
against Mycobacterium
upon when tuberculo
SANITIZATION OF GLA
COOKING UTENSILS. C
thoroughly, immerse n
of Disinfectant in 4 g
use a towel. Follow th
department.
SANITIZATION OF DA
thoroughly. Then imm
ing 1 ounce of Disinf
cars and other equipm
on a clean surface a d
ations of your health
FLANK AND UDDER
fectant per 4 gallon f
for each cow. Never
fectant solution. Prepa
Prepare solution in non
plastic). Discard solu
turbid. To prevent res
or dry with clean tow
SANITIZATION OF EQ
PLANTS, INCLUDING M
ment thoroughly. Th
infectant per 4 galle
oroughly drain before

STATEMENTS

Domestic Animals

on skin or on clothing, especially to broken skin, swallowed. Wear goggles and gloves when handling this contaminated clothing.

Appendix F of the Grade 1965 Recommendations of waters up to 700 ppm of when tested by the A.O.A.C. — "Official Method."

DISPOSAL

or feed by storage or prohibited. Do not reuse

spray mixture or rinsate disposed of according to State or local disposal

30 gallon sizes: Triple of in an approved land-gallon sizes and over: a) reconditioning or b) Triple for recycling, reconditioning or bury in a safe

State or local disposal alternative procedures.

BIO-SOL

DISINFECTANT SANITIZER-DEODORANT

ACTIVE INGREDIENTS:

Alkyl (C₁₄, 50%; C₁₂, 40%; C₁₆, 10%)
dimethyl benzy ammonium chloride 10.00%
Ethanol 2.50%

TOTAL ACTIVE INGREDIENTS 12.50%

INERT INGREDIENTS: 87.50%

TOTAL INGREDIENTS 100.00%

Keep Out Of Reach Of Children DANGER

Harmful if swallowed, irritating to skin and eyes. Do not get on skin, in eyes or on clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink milk, egg whites, gelatin solution or if these are not available, large quantities of water. Avoid alcohol — Call A PHYSICIAN.

IF ON SKIN: Flush with plenty of water for at least 15 minutes.

IF IN EYES: Flush with plenty of water for at least 15 minutes and SEE A PHYSICIAN.

NOTE TO PHYSICIAN — Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL DISINFECTION IN HOSPITALS, INSTITUTIONS, RESTAURANTS, PUBLIC ROOM AND HOMES. This product may be used on floors, walls, woodwork, bed frames, furnishings, and equipment. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood or metal, vinyl, glazed porcelain, plastic, finished leather, finished wood and similar non-porous, hard, smooth surfaces. Always pre-clean surfaces with a suitable detergent and rinse well with water before disinfection. After cleaning, apply solution containing 1 ounce of Disinfectant per gallon of water for usual disinfecting applications. For disinfecting contagious disease areas, use 1½ ounces per gallon of water. The material should be applied to a wetting concentration using a clean mop, sponge, or by a mechanical spraying device. If food contact surfaces are treated with this concentration of disinfectant, they must be rinsed with potable water before reuse.

This disinfectant has not been tested for effectiveness against Mycobacterium tuberculosis and must not be relied upon when tuberculocidal activity is intended.

SANITIZATION OF GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS. Clean with a suitable detergent, rinse thoroughly, immerse in a sanitizing rinse made with 1 ounce of Disinfectant in 4 gallons of water, and air dry. Do not use a towel. Follow the recommendations of your health department.

SANITIZATION OF DAIRY EQUIPMENT. Clean and rinse thoroughly. Then immerse in a sanitizing solution containing 1 ounce of Disinfectant per 4 gallons of water. Milk cans and other equipment should be inverted to drain well on a clean surface and air dried. Follow the recommendations of your health department.

FLANK AND UDDER WASHING. Use 1 ounce of Disinfectant per 4 gallon of water. Use a separate clean towel for each cow. Never dip a used towel back into the disinfectant solution. Prepare a fresh solution for each milking. Prepare solution in non-corrodible containers (stainless steel, plastic). Discard solutions if they become visibly soiled or turbid. To prevent residues in milk, allow udder to air dry or dry with clean towel before attaching to milker.

SANITIZATION OF EQUIPMENT IN FOOD PROCESSING PLANTS, INCLUDING MEAT PLANTS. Clean and rinse equipment thoroughly. Then wet with a solution of 1 ounce Disinfectant per 4 gallons of water. Allow surfaces to thoroughly drain before use.

ACCEPTEE
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

EPA Est. No. 10827-TX-1

Net Contents Gallons

78

79

INDUSTRIAL SOLVENTS

DIVISION CHEMICAL SPECIALTIES, INC. SAN MARCOS, TEXAS

