Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling.

Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated clothing.

CITRU-SOL 15 is effective against a wide variety of gram-positive and gram-negative bacteria.

CITRU-SOL 15 is also an excellent deodorant. Use it to control odors, especially those that are bacterial in nature.

CITRU-SOL 15 mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to plastic, myl, synthetics, enamel, tile and most common metals— Has a pleasant lemon odor.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinsate that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

CONTAINER DISPOSAL — Under 30 gallon sizes: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. 30 gallon sizes and over: a) reseal containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

CITRU-SOL 15

DISINFECTANT . CLEANER . DEOFORANT

*Kills Pseudomonas, Salmonella and Staphylogocus

ACTIVE INGREDIENTS:

Alkyl (C14, 58%; C16, 28%; C12, 14%)

dimethyl benzyl ammonium chloride

Isopropanol

Essential oils

Total Active Ingredients

93.5%

TOTAL INGREDIENTS

*This disinfectant is effective at a dilution of 2½ oz./gal. against Pseudomonas acruginosa PRD-10, Salmonella choleraesuis ATCC 10708 and Staphylococcus auraus ATCC 6538 when tested by the AOAC. Use Dilution Test Method for precleaned, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of practical treatment

IF SWALLOWED — Drink milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. CALL A PHYSICIAN. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

IF ON SKIN - Flush with plenty of water.

IF IN EYES — Flush with plenty of water for at least 15 minutes and see a physician.

EPA Reg. No. 10827-8

EPA Est. No. 10827-TX-1

DIRECTION

It is a violation of federal law inconsistent with its labeling.

FOR RESTROOMS AND GENERAl porous surfaces (glass, metal, place, leather, vinyl, enamel and foors, appliances and furnishing outrial areas.

LEANING. Whenever practical vater. For cleaning, use 2 to callon of water. Cleaning my mop, sponge, squeegee, were spraying device. After cleaning clear water rinse, vacuum pick aponge, squeegee or cloth.

DISINFECTING. Before disinfection above. Then, prepare 21/2 ource water and thoroughly wether disinfecting contagious disease of water). The disinfecting solution minutes for proper disinfection then be rinsed with clear water of FOR CLEANING AND DEODOR AGE TRUCKS, INDUSTRIAL VA GARBAGE HANDLING EQUIPMED preclean, preferably using a mode for the disinfectant to perform solution of 8 ounces of CITRU-SO

FOR CLEANING OF WALLS, FL AREAS. Use 2-4 ounces per gar gloves is recommended for pe cleaning.

FOR MILDEW CONTROL. Use plastics to control mildew. For Repeat freatment every seven day CITRU-SQL 15 may be used the equipment.

CITRU-SOL 15 has not been Mycobacterium tuberculosis and tuberculocidal activity is intende

This product must not be used a

NET CONTENTS



INDUSTRIAL SOLVENTS

VISION OF WEEMICAL SPECIALTIES, INC.

MARÇOS, TEXAS

ITRU-SOL 15

DISINFECTANY . CLEANER . DEOLOGANT

*Kills Pseudomonas, Salmonella and Staphylogiscus

ACTIVE INGREDIENTS: Alkyl (C14, 58%; C16, 28%; C12, 14%) 0 1.1 4.0% dimethyl benzyl ammonium chloride ___ Isopropanol Essential oils 0.5% Total Active Ingredients __ 6.5% INERT INGREDIENTS: ___ TOTAL INGREDIENTS

*This disinfectant is effective at a dilution of 2½ oz/gal, against Pseudomonas aoruginosa PRD-10, Salmonella choleraesuis ATCC 10708 and Staphylococcus aureus ATCC 6538 when tested by the AOAC. Use Dilution Test Method for precleaned, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of practical treatment

IF SWALLOWED - Drink milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. CALL A PHYSICIAN. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

IF ON SKIN - Flush with plenty of water.

IF IN EYES - Flush with plenty of water for at least 15 minutes and see a physician.

EPA Reg. No. 10827-8

FPA Est. No. 10827-TX-1

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR RESTROOMS AND GENERAL DISINFECTION of hard, nonporous surfaces (glass, metal, plastic, glazed porcelain, linoleum, e, leather, vinyl, enamel and finished wood surfaces) on walls, pors, appliances and furnishings in institutions, homes and in-sustrial areas.

LEANING. Whenever practical, flush away gross soils with rater. For cleaning, use 2 to 4 ounces of CITRU-SOL 15 per pallon of water. Cleaning may be accomplished with a clean nop, sponge, squeegee, wet vacuum system, or a mechanical praying device. After cleaning, remove suspended soils with a clear water rinse, vacuum pick up or by wiping with a clean mop, sponge, squeegee or cloth.

DISINFECTING. Before disinfecting, preclean surfaces as directed above. Then, prepare 2½ ounces of CITRU-SOL 15 per gallon of water and thoroughly wet the surfaces to be disinfected. (For disinfecting contagious disease areas, use 4 ounces per gallon of water). The disinfecting solution must contact the surface for 10 minutes for proper disinfection. If desired, the surfaces may then be rinsed with clear water or wiped with a clean damp cloth FOR CLEANING AND DEODORIZING GARBAGE CANS, GARB-AGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably using a mechanical spraying device, in order for the disinfectant to perform properly. Then apply a wetting solution of 8 ounces of CITRU-SOL 15 per gallon of water.

FOR CLEANING OF WALLS, FLOORS AND INDUSTRIAL WORK AREAS. Use 2-4 ounces per gallon of water. The use of rubber gloves is recommended for personnel doing continuous hand

FOR MILDEW CONTROL. Use on enamel, porcelain, tile and plastics to control mildew. Follow directions for disinfection. Repeat treatment every seven days, or when new growth appears. CITRU-SOL 15 may be used through automatic floor scrubbing equipment.

CITRU-SOL 15 has not been tested for effectiveness against Mycobacterium tuberculosis and must not be relied upon when tuberculocidal activity is intended.

This product must not be used on food contact surfaces.

NET CONTENTS

GAL.

68/

DIVISION OF EMICAL SPECIALTIES, INC. . MARCOS, TEXAS

ND.

ntact with n. Do not

per gloves cove and

ide variety pa**cteria.**

deodorant. ise that are

water and se dilution, to plastic, est common

SAL

/ storage or reuse emp-

re or rinsate according to ocal disposal

sizes: Triple roved landfill iver: e) reseal Triple rinse nditioning, or fe place.

sposal author-