PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Harmful or fatal it swallewed inhalics or absorbed through the skin It is rapidly absorbed through the skin. Wash thoroughly, with soap and water after handling. Wash clothing with soap and hot water before reluse. Avoid contact with skin leyes and clothing. Avoid breathing fumes or mist. Avoid contamination of food and foodstuffs. Do not allow spray treatment or drift on pastureland, cropland, poultry ranges or water supplies. Do not ull-inside homes in deiry barns, poultry houses or in buildings where food is processed. Do not apply directly to animals. Do not use on crops used for food. forage or pasture

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Shrimp and crab may be killed at application. rates stated on this label. Do not apply where these are important resources. Keep out of lakes, streams or ponds (except when using for mosquito larvae control). Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by clean. ing of equipment or disposal of wastes. Apply this product only as specified on the label

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period

PHYSICAL OR CHEMICAL HAZARDS

DO NOT use pour, spill or store near heat or open flame

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container

PESTICIDE DISPOSAL - Pesticide, spray mixture or rinsate that can not be used should be disposed of according to procedures approved by Federal. State or Local disposal authorities.

CONTAINER DISPOSAL - Under 30 gallon sizes. Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place 30 gallon sizes and ever: a) reseal containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place

GENERAL - Consult Federal, State or local disposal authorities for approved alternative procedures.

FORMULA 1020

CONCENTRATE

For Use Only By Public Mosquito Control Officials, Mosquito Abatement Districts & Public Health Officials, Not For Use Or Storage In The Home.

CONTAINS BAYTEX

ACTIVE INGREDIENTS: Fenthion-0, 0-Dimethyl 0-[4-(methylthio)-m-tolyl] phosphorothioate*

10.00% 89.25%

A

М

 $\overline{\omega}$

Heavy Aromatic Naphtha INERT INGREDIENTS:

.75% TOTAL 100.00% One Gallon Contains .80 lbs. 0,0-Dimethyl-0- 3-methyl-4-

(methylthio) phenol Phosphorothioate BAYTEX is the registered trademark of Farbenfabriken Bayer, A.G., Chemagro Corporation licensee.

*U.S. Patent No. 3,042-703

Canadian Patent No. 631,472

This product is recomme RURAL OUTDOOR AREA It provides long residua effective against DDT-r against non-resistant stra

DIRECTIONS

IT IS A VIOLATION OF USE THIS PRODUCT IN A SISTENT WITH ITS LABEL

Read the entire label product. For thermal fo-1 gallon of this product + of fuel oil, kerosene or o able for this use. Apply fogging machine calibra gallons per hour at a m miles per hour to cover up to 350 ft. Repeat as

MIXING

To mix with oil, pour the of this product into full a agitate.

WARRANTY STA

Industrial Solvents makes interchantability, fitness fo offerwise, express or im-Fifig product or its use, v yord the statements on the なる

<u>, 6</u> % EPA Reg. No. 10 Property of CEPA Est. No. 108

Net Contents_

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED -- Call a physician immediately. Gastric lavage is indimaterial was taken internally. DO NOT INDUCE VOMITING unless other in cated if is not available. Voiniting may cause aspiration pneumonia. If it is nec spary to induce vomiting, give victim one or two glasses of water and insert fing-DMITING back of throat. Reneat until vomit fluid is clear. DO NOT INDUCE. OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. PHYSICIAN ANTIDOTE - Administer atropine sulfate in large therape Repeat as necessary to the point of tolerance. 2-PAM is also antidota be administered in conjunction with atropine.

IF ON SKIN -- Wash with soop and warm water

IF IN EYES — Flush with plenty of water and see a physician immediately

IF INHALED - Remove victim to fresh air. Apply respiration if indicated

SEE SIDE PANYL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



NARY STATEMENTS ANS AND DOMESTIC ANIMALS WARNING

in inhaled or absorbed through the skin. In the skin. Wash thoroughly with soap wash clothing with soap and hot water it with skin, eyes and clothing. Avoid the contamination of food and foodstuffs ment or drift on pastureland, cropland, or ies. Do not use inside homes, in dairy it wildings where food is processed. Do not use on crops used for food.

MENTAL HAZARDS

and wildlife. Birds feeding on treated at and crab may be killed at application for not apply where these are important less streams or ponds (except when using Do not apply when weather conditions to Do not contaminate water by clean less of wastes. Apply this product only

to bees exposed to direct treatment the treated area. Do not apply when crop, cover crop or weeds blooming cation should be timed to provide the etween treatment and the next period

R CHEMICAL HAZARDS

tore near heat or open flame

E AND DISPOSAL

nod or feed by storage or disposal. Open in the contract of th

esticide, spray mixture or rinsate that can essed of according to procedures approved disposal authorities

under 30 gallon sizes. Triple rinse for an approved landfill or bury in a safe at ever; a) reseal containers and offer for le rinse (or equivalent) and offer for resposal in approved tandfill or bury in

ral. State or local disposal authorities for oures.

FORMULA 1020

CONCENTRATE

For Use Only By Public Masquito Control Officials, Mosquito Abatement Districts & Public Health Officials, Not For Use O. Storage In The Home.

CONTAINS BAYTEX

ACTIVE INGREDIENTS:
Fenthion-0, 0-Dimethyl 0- [4-(methylthio)-m-tolyl]
phosphorothioate*
Heavy Aromatic Naphtha

INERT INGREDIENTS: .75%
TOTAL 100.00%
One Gallon Contains .80 lbs. 0,0-Dimethyl-0- 3-methyl-4-

(methylthio) phenol Phosphorothicate BAYTEX is the registered trademark of Farbenfabriken Bayer, A.G., Chemagro Corporation licensee.

*U.S. Patent No. 3,042-703

Canadian Patent No. 631,472

10.00%

89.25%

ш

This product is recommended for URBAN & RURAL OUTDOOR AREAS (FUBLIC HEALTH). It provides long residual control and is as effective against DDT-resistant strains, as against non-resistant strains.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW 110 USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Read the entire label before using this product. For thermal fog application, mix 1 gallon of this product with 10-20 gallons of fuel oil, kerosene or other base oils suitable for this use. Apply with a standard fogging machine calibrated to deliver 40 gallons per hour at a machine speed of 5 miles per hour to cover a swath width of up to 350 ft. Repeat as necessary.

MIXING

To mix with oil, pour the required amount of this product into full amount of oil and agitate.

WARRANTY STATEMENT

industrial Solvents makes no warranty of interchantability, fitness for any purpose, or cotherwise, express or implied, concerning the product or its use, which extend become would be statements on this label.

AUG 1 BOND 1 BON

EPA Reg. No. 10827-34 EPA Est. No. 10827-TX-1

Net Contents ___ Gallons

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other tradigent is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in the back of throat. Repeat until vomit fluid is clear. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IOUSE TO PHYSICIAN: ANTIDOTE — Administer atropine sulfate in large therapetic doses Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

IF ON SKIN — Wash with soap and warm water.

IF IN EYES — Flush with plenty of water and see a physician immediately.

IF INHALED — Remove victim to fresh air. Apply respiration if indicated

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

SOL

INDUSTRIAL SOLVENTS

CHEMICAL SPECIALTIES, INC.

SAN MARCOS, TEXAS



~